

## Appendix: 2.4G Wi-Fi



Contents

Appendix A: RF Output Power ..... 3

    Test Result..... 3

    Test Graphs ..... 9

Appendix B: Power Spectral Density ..... 108

    Test Result..... 108

    Test Graphs ..... 110

Appendix C: Occupied Channel Bandwidth .....143

    Test Result..... 143

    Test Graphs ..... 145

Appendix D: Transmitter Unwanted Emissions In The Out-Of-BandDomain ..... 169

    Test Result..... 169

    Test Graphs ..... 210

Appendix E: Receiver Blocking .....226

    Test Result..... 226

    Test Graphs ..... 229

Appendix F: Adaptivity .....234

    Test Result..... 234

    Test Graphs ..... 236

## Appendix A: RF Output Power

### Test Result

Test Condition	Test Mode	Antenna	Freq (MHz)	Set Power	Burst Power [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
LTVN	11B	Ant1	2412	NA	13.36	4.09	17.45	20	PASS
NTNV	11B	Ant1	2412	NA	13.36	4.09	17.45	20	PASS
HTNV	11B	Ant1	2412	NA	13.36	4.09	17.45	20	PASS
LTVN	11B	Ant2	2412	NA	13.68	3.90	17.58	20	PASS
NTNV	11B	Ant2	2412	NA	13.68	3.90	17.58	20	PASS
HTNV	11B	Ant2	2412	NA	13.68	3.90	17.58	20	PASS
LTVN	11B	Ant1	2442	NA	13.33	4.09	17.42	20	PASS
NTNV	11B	Ant1	2442	NA	13.33	4.09	17.42	20	PASS
HTNV	11B	Ant1	2442	NA	13.33	4.09	17.42	20	PASS
LTVN	11B	Ant2	2442	NA	13.74	3.90	17.64	20	PASS
NTNV	11B	Ant2	2442	NA	13.74	3.90	17.64	20	PASS
HTNV	11B	Ant2	2442	NA	13.73	3.90	17.63	20	PASS
LTVN	11B	Ant1	2472	NA	13.59	4.09	17.68	20	PASS
NTNV	11B	Ant1	2472	NA	13.59	4.09	17.68	20	PASS
HTNV	11B	Ant1	2472	NA	13.59	4.09	17.68	20	PASS
LTVN	11B	Ant2	2472	NA	13.82	3.90	17.72	20	PASS
NTNV	11B	Ant2	2472	NA	13.82	3.90	17.72	20	PASS
HTNV	11B	Ant2	2472	NA	13.81	3.90	17.71	20	PASS
LTVN	11G	Ant1	2412	NA	15.53	4.09	19.62	20	PASS
NTNV	11G	Ant1	2412	NA	15.56	4.09	19.65	20	PASS
HTNV	11G	Ant1	2412	NA	15.54	4.09	19.63	20	PASS
LTVN	11G	Ant2	2412	NA	15.47	3.90	19.37	20	PASS
NTNV	11G	Ant2	2412	NA	15.46	3.90	19.36	20	PASS
HTNV	11G	Ant2	2412	NA	15.47	3.90	19.37	20	PASS
LTVN	11G	Ant1	2442	NA	15.58	4.09	19.67	20	PASS
NTNV	11G	Ant1	2442	NA	15.54	4.09	19.63	20	PASS
HTNV	11G	Ant1	2442	NA	15.66	4.09	19.75	20	PASS
LTVN	11G	Ant2	2442	NA	15.55	3.90	19.45	20	PASS
NTNV	11G	Ant2	2442	NA	15.54	3.90	19.44	20	PASS
HTNV	11G	Ant2	2442	NA	15.54	3.90	19.44	20	PASS
LTVN	11G	Ant1	2472	NA	15.74	4.09	19.83	20	PASS
NTNV	11G	Ant1	2472	NA	15.69	4.09	19.78	20	PASS
HTNV	11G	Ant1	2472	NA	15.70	4.09	19.79	20	PASS

LTVN	11G	Ant2	2472	NA	15.57	3.90	19.47	20	PASS
NTNV	11G	Ant2	2472	NA	15.55	3.90	19.45	20	PASS
HTNV	11G	Ant2	2472	NA	15.55	3.90	19.45	20	PASS
LTVN	11N20MIMO	Ant1	2412	NA	10.13	4.09	14.22	20	PASS
LTVN	11N20MIMO	Ant2	2412	NA	8.61	3.90	12.51	20	PASS
LTVN	11N20MIMO	total	2412	NA	12.45	7.00	19.45	20	PASS
NTNV	11N20MIMO	Ant1	2412	NA	10.14	4.09	14.23	20	PASS
NTNV	11N20MIMO	Ant2	2412	NA	8.61	3.90	12.51	20	PASS
NTNV	11N20MIMO	total	2412	NA	12.44	7.00	19.44	20	PASS
HTNV	11N20MIMO	Ant1	2412	NA	10.17	4.09	14.26	20	PASS
HTNV	11N20MIMO	Ant2	2412	NA	8.63	3.90	12.53	20	PASS
HTNV	11N20MIMO	total	2412	NA	12.48	7.00	19.48	20	PASS
LTVN	11N20MIMO	Ant1	2442	NA	10.82	4.09	14.91	20	PASS
LTVN	11N20MIMO	Ant2	2442	NA	8.83	3.90	12.73	20	PASS
LTVN	11N20MIMO	total	2442	NA	12.93	7.00	19.93	20	PASS
NTNV	11N20MIMO	Ant1	2442	NA	10.84	4.09	14.93	20	PASS
NTNV	11N20MIMO	Ant2	2442	NA	8.82	3.90	12.72	20	PASS
NTNV	11N20MIMO	total	2442	NA	12.95	7.00	<b>19.95</b>	20	PASS
HTNV	11N20MIMO	Ant1	2442	NA	10.82	4.09	14.91	20	PASS
HTNV	11N20MIMO	Ant2	2442	NA	8.82	3.90	12.72	20	PASS
HTNV	11N20MIMO	total	2442	NA	12.94	7.00	19.94	20	PASS
LTVN	11N20MIMO	Ant1	2472	NA	10.77	4.09	14.86	20	PASS
LTVN	11N20MIMO	Ant2	2472	NA	8.05	3.90	11.95	20	PASS
LTVN	11N20MIMO	total	2472	NA	12.62	7.00	19.62	20	PASS
NTNV	11N20MIMO	Ant1	2472	NA	10.79	4.09	14.88	20	PASS
NTNV	11N20MIMO	Ant2	2472	NA	8.04	3.90	11.94	20	PASS
NTNV	11N20MIMO	total	2472	NA	12.63	7.00	19.63	20	PASS
HTNV	11N20MIMO	Ant1	2472	NA	10.78	4.09	14.87	20	PASS
HTNV	11N20MIMO	Ant2	2472	NA	8.05	3.90	11.95	20	PASS
HTNV	11N20MIMO	total	2472	NA	12.62	7.00	19.62	20	PASS
LTVN	11N40MIMO	Ant1	2422	NA	10.23	4.09	14.32	20	PASS
LTVN	11N40MIMO	Ant2	2422	NA	9.45	3.90	13.35	20	PASS
LTVN	11N40MIMO	total	2422	NA	12.85	7.00	19.85	20	PASS
NTNV	11N40MIMO	Ant1	2422	NA	10.22	4.09	14.31	20	PASS
NTNV	11N40MIMO	Ant2	2422	NA	9.42	3.90	13.32	20	PASS
NTNV	11N40MIMO	total	2422	NA	12.85	7.00	19.85	20	PASS
HTNV	11N40MIMO	Ant1	2422	NA	10.25	4.09	14.34	20	PASS
HTNV	11N40MIMO	Ant2	2422	NA	9.42	3.90	13.32	20	PASS
HTNV	11N40MIMO	total	2422	NA	12.85	7.00	19.85	20	PASS
LTVN	11N40MIMO	Ant1	2442	NA	10.17	4.09	14.26	20	PASS




LTVN	11N40MIMO	Ant2	2442	NA	8.14	3.90	12.04	20	PASS
LTVN	11N40MIMO	total	2442	NA	12.28	7.00	19.28	20	PASS
NTNV	11N40MIMO	Ant1	2442	NA	10.15	4.09	14.24	20	PASS
NTNV	11N40MIMO	Ant2	2442	NA	8.16	3.90	12.06	20	PASS
NTNV	11N40MIMO	total	2442	NA	12.27	7.00	19.27	20	PASS
HTNV	11N40MIMO	Ant1	2442	NA	10.18	4.09	14.27	20	PASS
HTNV	11N40MIMO	Ant2	2442	NA	8.15	3.90	12.05	20	PASS
HTNV	11N40MIMO	total	2442	NA	12.29	7.00	19.29	20	PASS
LTVN	11N40MIMO	Ant1	2462	NA	10.79	4.09	14.88	20	PASS
LTVN	11N40MIMO	Ant2	2462	NA	8.29	3.90	12.19	20	PASS
LTVN	11N40MIMO	total	2462	NA	12.72	7.00	19.72	20	PASS
NTNV	11N40MIMO	Ant1	2462	NA	10.77	4.09	14.86	20	PASS
NTNV	11N40MIMO	Ant2	2462	NA	8.29	3.90	12.19	20	PASS
NTNV	11N40MIMO	total	2462	NA	12.72	7.00	19.72	20	PASS
HTNV	11N40MIMO	Ant1	2462	NA	10.75	4.09	14.84	20	PASS
HTNV	11N40MIMO	Ant2	2462	NA	8.28	3.90	12.18	20	PASS
HTNV	11N40MIMO	total	2462	NA	12.70	7.00	19.70	20	PASS
LTVN	11AX20MIMO	Ant1	2412	NA	10.00	4.09	14.09	20	PASS
LTVN	11AX20MIMO	Ant2	2412	NA	8.56	3.90	12.46	20	PASS
LTVN	11AX20MIMO	total	2412	NA	12.33	7.00	19.33	20	PASS
NTNV	11AX20MIMO	Ant1	2412	NA	10.00	4.09	14.09	20	PASS
NTNV	11AX20MIMO	Ant2	2412	NA	8.56	3.90	12.46	20	PASS
NTNV	11AX20MIMO	total	2412	NA	12.35	7.00	19.35	20	PASS
HTNV	11AX20MIMO	Ant1	2412	NA	9.99	4.09	14.08	20	PASS
HTNV	11AX20MIMO	Ant2	2412	NA	8.53	3.90	12.43	20	PASS
HTNV	11AX20MIMO	total	2412	NA	12.32	7.00	19.32	20	PASS
LTVN	11AX20MIMO	Ant1	2442	NA	10.77	4.09	14.86	20	PASS
LTVN	11AX20MIMO	Ant2	2442	NA	8.74	3.90	12.64	20	PASS
LTVN	11AX20MIMO	total	2442	NA	12.86	7.00	19.86	20	PASS
NTNV	11AX20MIMO	Ant1	2442	NA	10.79	4.09	14.88	20	PASS
NTNV	11AX20MIMO	Ant2	2442	NA	8.69	3.90	12.59	20	PASS
NTNV	11AX20MIMO	total	2442	NA	12.87	7.00	19.87	20	PASS
HTNV	11AX20MIMO	Ant1	2442	NA	10.77	4.09	14.86	20	PASS
HTNV	11AX20MIMO	Ant2	2442	NA	8.74	3.90	12.64	20	PASS
HTNV	11AX20MIMO	total	2442	NA	12.86	7.00	19.86	20	PASS
LTVN	11AX20MIMO	Ant1	2472	NA	10.72	4.09	14.81	20	PASS
LTVN	11AX20MIMO	Ant2	2472	NA	8.01	3.90	11.91	20	PASS
LTVN	11AX20MIMO	total	2472	NA	12.57	7.00	19.57	20	PASS
NTNV	11AX20MIMO	Ant1	2472	NA	10.70	4.09	14.79	20	PASS
NTNV	11AX20MIMO	Ant2	2472	NA	8.00	3.90	11.90	20	PASS

NTNV	11AX20MIMO	total	2472	NA	12.55	7.00	19.55	20	PASS
HTNV	11AX20MIMO	Ant1	2472	NA	10.70	4.09	14.79	20	PASS
HTNV	11AX20MIMO	Ant2	2472	NA	7.99	3.90	11.89	20	PASS
HTNV	11AX20MIMO	total	2472	NA	12.55	7.00	19.55	20	PASS
LTNV	11AX40MIMO	Ant1	2422	NA	10.06	4.09	14.15	20	PASS
LTNV	11AX40MIMO	Ant2	2422	NA	8.43	3.90	12.33	20	PASS
LTNV	11AX40MIMO	total	2422	NA	12.32	7.00	19.32	20	PASS
NTNV	11AX40MIMO	Ant1	2422	NA	10.06	4.09	14.15	20	PASS
NTNV	11AX40MIMO	Ant2	2422	NA	8.44	3.90	12.34	20	PASS
NTNV	11AX40MIMO	total	2422	NA	12.33	7.00	19.33	20	PASS
HTNV	11AX40MIMO	Ant1	2422	NA	10.05	4.09	14.14	20	PASS
HTNV	11AX40MIMO	Ant2	2422	NA	8.42	3.90	12.32	20	PASS
HTNV	11AX40MIMO	total	2422	NA	12.32	7.00	19.32	20	PASS
LTNV	11AX40MIMO	Ant1	2442	NA	10.62	4.09	14.71	20	PASS
LTNV	11AX40MIMO	Ant2	2442	NA	8.56	3.90	12.46	20	PASS
LTNV	11AX40MIMO	total	2442	NA	12.72	7.00	19.72	20	PASS
NTNV	11AX40MIMO	Ant1	2442	NA	10.58	4.09	14.67	20	PASS
NTNV	11AX40MIMO	Ant2	2442	NA	8.55	3.90	12.45	20	PASS
NTNV	11AX40MIMO	total	2442	NA	12.70	7.00	19.70	20	PASS
HTNV	11AX40MIMO	Ant1	2442	NA	10.60	4.09	14.69	20	PASS
HTNV	11AX40MIMO	Ant2	2442	NA	8.57	3.90	12.47	20	PASS
HTNV	11AX40MIMO	total	2442	NA	12.70	7.00	19.70	20	PASS
LTNV	11AX40MIMO	Ant1	2462	NA	10.77	4.09	14.86	20	PASS
LTNV	11AX40MIMO	Ant2	2462	NA	8.25	3.90	12.15	20	PASS
LTNV	11AX40MIMO	total	2462	NA	12.70	7.00	19.70	20	PASS
NTNV	11AX40MIMO	Ant1	2462	NA	10.77	4.09	14.86	20	PASS
NTNV	11AX40MIMO	Ant2	2462	NA	8.22	3.90	12.12	20	PASS
NTNV	11AX40MIMO	total	2462	NA	12.68	7.00	19.68	20	PASS
HTNV	11AX40MIMO	Ant1	2462	NA	10.78	4.09	14.87	20	PASS
HTNV	11AX40MIMO	Ant2	2462	NA	8.23	3.90	12.13	20	PASS
HTNV	11AX40MIMO	total	2462	NA	12.68	7.00	19.68	20	PASS
LTNV	11BE20MIMO	Ant1	2412	NA	10.06	4.09	14.15	20	PASS
LTNV	11BE20MIMO	Ant2	2412	NA	8.69	3.90	12.59	20	PASS
LTNV	11BE20MIMO	total	2412	NA	12.43	7.00	19.43	20	PASS
NTNV	11BE20MIMO	Ant1	2412	NA	10.02	4.09	14.11	20	PASS
NTNV	11BE20MIMO	Ant2	2412	NA	8.63	3.90	12.53	20	PASS
NTNV	11BE20MIMO	total	2412	NA	12.38	7.00	19.38	20	PASS
HTNV	11BE20MIMO	Ant1	2412	NA	10.04	4.09	14.13	20	PASS
HTNV	11BE20MIMO	Ant2	2412	NA	8.64	3.90	12.54	20	PASS
HTNV	11BE20MIMO	total	2412	NA	12.40	7.00	19.40	20	PASS


LTVN	11BE20MIMO	Ant1	2442	NA	10.80	4.09	14.89	20	PASS
LTVN	11BE20MIMO	Ant2	2442	NA	8.74	3.90	12.64	20	PASS
LTVN	11BE20MIMO	total	2442	NA	12.90	7.00	19.90	20	PASS
NTNV	11BE20MIMO	Ant1	2442	NA	10.79	4.09	14.88	20	PASS
NTNV	11BE20MIMO	Ant2	2442	NA	8.71	3.90	12.61	20	PASS
NTNV	11BE20MIMO	total	2442	NA	12.86	7.00	19.86	20	PASS
HTNV	11BE20MIMO	Ant1	2442	NA	10.81	4.09	14.90	20	PASS
HTNV	11BE20MIMO	Ant2	2442	NA	8.71	3.90	12.61	20	PASS
HTNV	11BE20MIMO	total	2442	NA	12.88	7.00	19.88	20	PASS
LTVN	11BE20MIMO	Ant1	2472	NA	10.80	4.09	14.89	20	PASS
LTVN	11BE20MIMO	Ant2	2472	NA	8.07	3.90	11.97	20	PASS
LTVN	11BE20MIMO	total	2472	NA	12.63	7.00	19.63	20	PASS
NTNV	11BE20MIMO	Ant1	2472	NA	10.77	4.09	14.86	20	PASS
NTNV	11BE20MIMO	Ant2	2472	NA	8.04	3.90	11.94	20	PASS
NTNV	11BE20MIMO	total	2472	NA	12.60	7.00	19.60	20	PASS
HTNV	11BE20MIMO	Ant1	2472	NA	10.77	4.09	14.86	20	PASS
HTNV	11BE20MIMO	Ant2	2472	NA	8.02	3.90	11.92	20	PASS
HTNV	11BE20MIMO	total	2472	NA	12.59	7.00	19.59	20	PASS
LTVN	11BE40MIMO	Ant1	2422	NA	10.08	4.09	14.17	20	PASS
LTVN	11BE40MIMO	Ant2	2422	NA	8.42	3.90	12.32	20	PASS
LTVN	11BE40MIMO	total	2422	NA	12.34	7.00	19.34	20	PASS
NTNV	11BE40MIMO	Ant1	2422	NA	10.07	4.09	14.16	20	PASS
NTNV	11BE40MIMO	Ant2	2422	NA	8.39	3.90	12.29	20	PASS
NTNV	11BE40MIMO	total	2422	NA	12.32	7.00	19.32	20	PASS
HTNV	11BE40MIMO	Ant1	2422	NA	10.06	4.09	14.15	20	PASS
HTNV	11BE40MIMO	Ant2	2422	NA	8.42	3.90	12.32	20	PASS
HTNV	11BE40MIMO	total	2422	NA	12.33	7.00	19.33	20	PASS
LTVN	11BE40MIMO	Ant1	2442	NA	10.63	4.09	14.72	20	PASS
LTVN	11BE40MIMO	Ant2	2442	NA	8.57	3.90	12.47	20	PASS
LTVN	11BE40MIMO	total	2442	NA	12.72	7.00	19.72	20	PASS
NTNV	11BE40MIMO	Ant1	2442	NA	10.61	4.09	14.70	20	PASS
NTNV	11BE40MIMO	Ant2	2442	NA	8.58	3.90	12.48	20	PASS
NTNV	11BE40MIMO	total	2442	NA	12.73	7.00	19.73	20	PASS
HTNV	11BE40MIMO	Ant1	2442	NA	10.61	4.09	14.70	20	PASS
HTNV	11BE40MIMO	Ant2	2442	NA	8.54	3.90	12.44	20	PASS
HTNV	11BE40MIMO	total	2442	NA	12.69	7.00	19.69	20	PASS
LTVN	11BE40MIMO	Ant1	2462	NA	10.80	4.09	14.89	20	PASS
LTVN	11BE40MIMO	Ant2	2462	NA	8.26	3.90	12.16	20	PASS
LTVN	11BE40MIMO	total	2462	NA	12.72	7.00	19.72	20	PASS
NTNV	11BE40MIMO	Ant1	2462	NA	10.75	4.09	14.84	20	PASS


NTNV	11BE40MIMO	Ant2	2462	NA	8.22	3.90	12.12	20	PASS
NTNV	11BE40MIMO	total	2462	NA	12.67	7.00	19.67	20	PASS
HTNV	11BE40MIMO	Ant1	2462	NA	10.77	4.09	14.86	20	PASS
HTNV	11BE40MIMO	Ant2	2462	NA	8.25	3.90	12.15	20	PASS
HTNV	11BE40MIMO	total	2462	NA	12.69	7.00	19.69	20	PASS


Test Graphs




































































































































































































































































































































## Appendix B: Power Spectral Density


### Test Result


TestMode	Antenna	Freq(MHz)	EIRP PSD[dBm/MHz]	Limit[dBm/MHz]	Verdict
11B	Ant1	2412	9.74	10	PASS
11B	Ant2	2412	9.90	10	PASS
11B	Ant1	2442	9.61	10	PASS
11B	Ant2	2442	9.92	10	PASS
11B	Ant1	2472	9.97	10	PASS
11B	Ant2	2472	9.96	10	PASS
11G	Ant1	2412	9.18	10	PASS
11G	Ant2	2412	8.87	10	PASS
11G	Ant1	2442	9.23	10	PASS
11G	Ant2	2442	8.96	10	PASS
11G	Ant1	2472	9.26	10	PASS
11G	Ant2	2472	8.86	10	PASS
11N20MIMO	Ant1	2412	3.42	10	PASS
11N20MIMO	Ant2	2412	1.96	10	PASS
11N20MIMO	total	2412	8.69	10	PASS
11N20MIMO	Ant1	2442	4.23	10	PASS
11N20MIMO	Ant2	2442	2.15	10	PASS
11N20MIMO	total	2442	9.28	10	PASS
11N20MIMO	Ant1	2472	4.40	10	PASS
11N20MIMO	Ant2	2472	1.47	10	PASS
11N20MIMO	total	2472	9.14	10	PASS
11N40MIMO	Ant1	2422	1.20	10	PASS
11N40MIMO	Ant2	2422	0.23	10	PASS
11N40MIMO	total	2422	6.74	10	PASS
11N40MIMO	Ant1	2442	1.14	10	PASS
11N40MIMO	Ant2	2442	-1.04	10	PASS
11N40MIMO	total	2442	6.15	10	PASS
11N40MIMO	Ant1	2462	1.68	10	PASS
11N40MIMO	Ant2	2462	-1.00	10	PASS
11N40MIMO	total	2462	6.53	10	PASS
11AX20MIMO	Ant1	2412	3.17	10	PASS
11AX20MIMO	Ant2	2412	1.61	10	PASS
11AX20MIMO	total	2412	8.43	10	PASS
11AX20MIMO	Ant1	2442	4.12	10	PASS
11AX20MIMO	Ant2	2442	1.80	10	PASS





11AX20MIMO	total	2442	9.04	10	PASS
11AX20MIMO	Ant1	2472	4.09	10	PASS
11AX20MIMO	Ant2	2472	1.14	10	PASS
11AX20MIMO	total	2472	8.80	10	PASS
11AX40MIMO	Ant1	2422	0.75	10	PASS
11AX40MIMO	Ant2	2422	-1.02	10	PASS
11AX40MIMO	total	2422	5.85	10	PASS
11AX40MIMO	Ant1	2442	1.27	10	PASS
11AX40MIMO	Ant2	2442	-0.90	10	PASS
11AX40MIMO	total	2442	6.30	10	PASS
11AX40MIMO	Ant1	2462	1.39	10	PASS
11AX40MIMO	Ant2	2462	-1.33	10	PASS
11AX40MIMO	total	2462	6.21	10	PASS
11BE20MIMO	Ant1	2412	3.35	10	PASS
11BE20MIMO	Ant2	2412	1.74	10	PASS
11BE20MIMO	total	2412	8.59	10	PASS
11BE20MIMO	Ant1	2442	4.12	10	PASS
11BE20MIMO	Ant2	2442	1.94	10	PASS
11BE20MIMO	total	2442	9.12	10	PASS
11BE20MIMO	Ant1	2472	3.92	10	PASS
11BE20MIMO	Ant2	2472	1.02	10	PASS
11BE20MIMO	total	2472	8.63	10	PASS
11BE40MIMO	Ant1	2422	0.87	10	PASS
11BE40MIMO	Ant2	2422	-1.11	10	PASS
11BE40MIMO	total	2422	5.97	10	PASS
11BE40MIMO	Ant1	2442	1.31	10	PASS
11BE40MIMO	Ant2	2442	-0.90	10	PASS
11BE40MIMO	total	2442	6.32	10	PASS
11BE40MIMO	Ant1	2462	1.51	10	PASS
11BE40MIMO	Ant2	2462	-1.32	10	PASS
11BE40MIMO	total	2462	6.27	10	PASS


Test Graphs














































































































## Appendix C: Occupied Channel Bandwidth

### Test Result


TestMode	Antenna	Freq(MHz)	OCB[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	12.450	2405.7705	2418.2205	2400 to 2483.5	PASS
11B	Ant2	2412	12.462	2405.7692	2418.2312	2400 to 2483.5	PASS
11B	Ant1	2442	12.439	2435.7709	2448.2099	2400 to 2483.5	PASS
11B	Ant2	2442	12.457	2435.7614	2448.2184	2400 to 2483.5	PASS
11B	Ant1	2472	12.433	2465.7903	2478.2233	2400 to 2483.5	PASS
11B	Ant2	2472	12.448	2465.7786	2478.2266	2400 to 2483.5	PASS
11G	Ant1	2412	16.355	2403.8188	2420.1738	2400 to 2483.5	PASS
11G	Ant2	2412	16.355	2403.8182	2420.1732	2400 to 2483.5	PASS
11G	Ant1	2442	16.347	2433.8258	2450.1728	2400 to 2483.5	PASS
11G	Ant2	2442	16.345	2433.8272	2450.1722	2400 to 2483.5	PASS
11G	Ant1	2472	16.351	2463.8377	2480.1887	2400 to 2483.5	PASS
11G	Ant2	2472	16.355	2463.8333	2480.1883	2400 to 2483.5	PASS
11N20MIMO	Ant1	2412	17.482	2403.2546	2420.7366	2400 to 2483.5	PASS
11N20MIMO	Ant2	2412	17.483	2403.2539	2420.7369	2400 to 2483.5	PASS
11N20MIMO	Ant1	2442	17.473	2433.2588	2450.7318	2400 to 2483.5	PASS
11N20MIMO	Ant2	2442	17.474	2433.2625	2450.7365	2400 to 2483.5	PASS
11N20MIMO	Ant1	2472	17.478	2463.2753	2480.7533	2400 to 2483.5	PASS
11N20MIMO	Ant2	2472	17.479	2463.2721	2480.7511	2400 to 2483.5	PASS
11N40MIMO	Ant1	2422	35.812	2404.0641	2439.8761	2400 to 2483.5	PASS
11N40MIMO	Ant2	2422	35.808	2404.0993	2439.9073	2400 to 2483.5	PASS
11N40MIMO	Ant1	2442	35.806	2424.0823	2459.8883	2400 to 2483.5	PASS
11N40MIMO	Ant2	2442	35.783	2424.1202	2459.9032	2400 to 2483.5	PASS
11N40MIMO	Ant1	2462	35.826	2444.1086	2479.9346	2400 to 2483.5	PASS
11N40MIMO	Ant2	2462	35.827	2444.1096	2479.9366	2400 to 2483.5	PASS
11AX20MIMO	Ant1	2412	18.709	2402.6271	2421.3361	2400 to 2483.5	PASS
11AX20MIMO	Ant2	2412	18.713	2402.6377	2421.3507	2400 to 2483.5	PASS
11AX20MIMO	Ant1	2442	18.698	2432.6457	2451.3437	2400 to 2483.5	PASS
11AX20MIMO	Ant2	2442	18.696	2432.6525	2451.3485	2400 to 2483.5	PASS
11AX20MIMO	Ant1	2472	18.709	2462.6607	2481.3697	2400 to 2483.5	PASS
11AX20MIMO	Ant2	2472	18.701	2462.6620	2481.3630	2400 to 2483.5	PASS
11AX40MIMO	Ant1	2422	37.293	2403.3150	2440.6080	2400 to 2483.5	PASS
11AX40MIMO	Ant2	2422	37.303	2403.3457	2440.6487	2400 to 2483.5	PASS
11AX40MIMO	Ant1	2442	37.281	2423.3407	2460.6217	2400 to 2483.5	PASS
11AX40MIMO	Ant2	2442	37.258	2423.3788	2460.6368	2400 to 2483.5	PASS

11AX40MIMO	Ant1	2462	37.310	2443.3632	2480.6732	2400 to 2483.5	PASS
11AX40MIMO	Ant2	2462	37.311	2443.3662	2480.6772	2400 to 2483.5	PASS
11BE20MIMO	Ant1	2412	18.695	2402.6336	2421.3286	2400 to 2483.5	PASS
11BE20MIMO	Ant2	2412	18.693	2402.6497	2421.3427	2400 to 2483.5	PASS
11BE20MIMO	Ant1	2442	18.685	2432.6540	2451.3390	2400 to 2483.5	PASS
11BE20MIMO	Ant2	2442	18.683	2432.6576	2451.3406	2400 to 2483.5	PASS
11BE20MIMO	Ant1	2472	18.697	2462.6650	2481.3620	2400 to 2483.5	PASS
11BE20MIMO	Ant2	2472	18.691	2462.6673	2481.3583	2400 to 2483.5	PASS
11BE40MIMO	Ant1	2422	37.293	2403.3131	2440.6061	2400 to 2483.5	PASS
11BE40MIMO	Ant2	2422	37.280	2403.3644	2440.6444	2400 to 2483.5	PASS
11BE40MIMO	Ant1	2442	37.275	2423.3418	2460.6168	2400 to 2483.5	PASS
11BE40MIMO	Ant2	2442	37.250	2423.3844	2460.6344	2400 to 2483.5	PASS
11BE40MIMO	Ant1	2462	37.302	2443.3708	2480.6728	2400 to 2483.5	PASS
11BE40MIMO	Ant2	2462	37.289	2443.3803	2480.6693	2400 to 2483.5	PASS


Test Graphs

















































































## Appendix D: Transmitter Unwanted Emissions In The Out-Of-BandDomain

### Test Result

TestMode	Antenna	Freq(MHz)	Freq. [MHz]	Level [dBm]	Ant Factor[dB]	Result [dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	2375.6	-42.36	0	-42.36	-20.00	PASS
11B	Ant1	2412	2376.05	-42.37	0	-42.37	-20.00	PASS
11B	Ant1	2412	2377.05	-42.36	0	-42.36	-20.00	PASS
11B	Ant1	2412	2378.05	-42.34	0	-42.34	-20.00	PASS
11B	Ant1	2412	2379.05	-42.32	0	-42.32	-20.00	PASS
11B	Ant1	2412	2380.05	-42.34	0	-42.34	-20.00	PASS
11B	Ant1	2412	2381.05	-42.35	0	-42.35	-20.00	PASS
11B	Ant1	2412	2382.05	-42.36	0	-42.36	-20.00	PASS
11B	Ant1	2412	2383.05	-42.35	0	-42.35	-20.00	PASS
11B	Ant1	2412	2384.05	-42.33	0	-42.33	-20.00	PASS
11B	Ant1	2412	2385.05	-42.31	0	-42.31	-20.00	PASS
11B	Ant1	2412	2386.05	-42.29	0	-42.29	-20.00	PASS
11B	Ant1	2412	2387.05	-42.30	0	-42.30	-20.00	PASS
11B	Ant1	2412	2388.05	-42.30	0	-42.30	-10.00	PASS
11B	Ant1	2412	2388.5	-42.29	0	-42.29	-10.00	PASS
11B	Ant1	2412	2389.5	-42.27	0	-42.27	-10.00	PASS
11B	Ant1	2412	2390.5	-42.28	0	-42.28	-10.00	PASS
11B	Ant1	2412	2391.5	-42.27	0	-42.27	-10.00	PASS
11B	Ant1	2412	2392.5	-42.14	0	-42.14	-10.00	PASS
11B	Ant1	2412	2393.5	-41.73	0	-41.73	-10.00	PASS
11B	Ant1	2412	2394.5	-41.55	0	-41.55	-10.00	PASS
11B	Ant1	2412	2395.5	-41.21	0	-41.21	-10.00	PASS
11B	Ant1	2412	2396.5	-39.78	0	-39.78	-10.00	PASS
11B	Ant1	2412	2397.5	-39.64	0	-39.64	-10.00	PASS
11B	Ant1	2412	2398.5	-39.16	0	-39.16	-10.00	PASS
11B	Ant1	2412	2399.5	-38.52	0	-38.52	-10.00	PASS
11B	Ant2	2412	2375.576	-42.56	0	-42.56	-20.00	PASS
11B	Ant2	2412	2376.038	-42.56	0	-42.56	-20.00	PASS
11B	Ant2	2412	2377.038	-42.58	0	-42.58	-20.00	PASS
11B	Ant2	2412	2378.038	-42.55	0	-42.55	-20.00	PASS
11B	Ant2	2412	2379.038	-42.53	0	-42.53	-20.00	PASS
11B	Ant2	2412	2380.038	-42.55	0	-42.55	-20.00	PASS
11B	Ant2	2412	2381.038	-42.55	0	-42.55	-20.00	PASS



11B	Ant2	2412	2382.038	-42.58	0	-42.58	-20.00	PASS
11B	Ant2	2412	2383.038	-42.51	0	-42.51	-20.00	PASS
11B	Ant2	2412	2384.038	-42.54	0	-42.54	-20.00	PASS
11B	Ant2	2412	2385.038	-42.52	0	-42.52	-20.00	PASS
11B	Ant2	2412	2386.038	-42.52	0	-42.52	-20.00	PASS
11B	Ant2	2412	2387.038	-42.51	0	-42.51	-20.00	PASS
11B	Ant2	2412	2388.038	-42.53	0	-42.53	-10.00	PASS
11B	Ant2	2412	2388.5	-42.48	0	-42.48	-10.00	PASS
11B	Ant2	2412	2389.5	-42.48	0	-42.48	-10.00	PASS
11B	Ant2	2412	2390.5	-42.49	0	-42.49	-10.00	PASS
11B	Ant2	2412	2391.5	-42.49	0	-42.49	-10.00	PASS
11B	Ant2	2412	2392.5	-42.30	0	-42.30	-10.00	PASS
11B	Ant2	2412	2393.5	-41.87	0	-41.87	-10.00	PASS
11B	Ant2	2412	2394.5	-41.70	0	-41.70	-10.00	PASS
11B	Ant2	2412	2395.5	-41.37	0	-41.37	-10.00	PASS
11B	Ant2	2412	2396.5	-39.83	0	-39.83	-10.00	PASS
11B	Ant2	2412	2397.5	-39.26	0	-39.26	-10.00	PASS
11B	Ant2	2412	2398.5	-38.87	0	-38.87	-10.00	PASS
11B	Ant2	2412	2399.5	-38.15	0	-38.15	-10.00	PASS
11B	Ant1	2472	2484	-38.83	0	-38.83	-10.00	PASS
11B	Ant1	2472	2485	-40.44	0	-40.44	-10.00	PASS
11B	Ant1	2472	2486	-40.17	0	-40.17	-10.00	PASS
11B	Ant1	2472	2487	-40.16	0	-40.16	-10.00	PASS
11B	Ant1	2472	2488	-40.52	0	-40.52	-10.00	PASS
11B	Ant1	2472	2489	-40.97	0	-40.97	-10.00	PASS
11B	Ant1	2472	2490	-41.77	0	-41.77	-10.00	PASS
11B	Ant1	2472	2491	-41.66	0	-41.66	-10.00	PASS
11B	Ant1	2472	2492	-41.85	0	-41.85	-10.00	PASS
11B	Ant1	2472	2493	-41.94	0	-41.94	-10.00	PASS
11B	Ant1	2472	2494	-41.96	0	-41.96	-10.00	PASS
11B	Ant1	2472	2495	-41.95	0	-41.95	-10.00	PASS
11B	Ant1	2472	2495.433	-41.94	0	-41.94	-10.00	PASS
11B	Ant1	2472	2496.433	-41.96	0	-41.96	-20.00	PASS
11B	Ant1	2472	2497.433	-42.12	0	-42.12	-20.00	PASS
11B	Ant1	2472	2498.433	-41.93	0	-41.93	-20.00	PASS
11B	Ant1	2472	2499.433	-41.94	0	-41.94	-20.00	PASS
11B	Ant1	2472	2500.433	-41.74	0	-41.74	-20.00	PASS
11B	Ant1	2472	2501.433	-41.78	0	-41.78	-20.00	PASS
11B	Ant1	2472	2502.433	-41.76	0	-41.76	-20.00	PASS
11B	Ant1	2472	2503.433	-41.76	0	-41.76	-20.00	PASS

11B	Ant1	2472	2504.433	-41.78	0	-41.78	-20.00	PASS
11B	Ant1	2472	2505.433	-41.77	0	-41.77	-20.00	PASS
11B	Ant1	2472	2506.433	-41.78	0	-41.78	-20.00	PASS
11B	Ant1	2472	2507.433	-41.78	0	-41.78	-20.00	PASS
11B	Ant1	2472	2507.866	-41.80	0	-41.80	-20.00	PASS
11B	Ant2	2472	2484	-39.12	0	-39.12	-10.00	PASS
11B	Ant2	2472	2485	-40.62	0	-40.62	-10.00	PASS
11B	Ant2	2472	2486	-40.41	0	-40.41	-10.00	PASS
11B	Ant2	2472	2487	-40.15	0	-40.15	-10.00	PASS
11B	Ant2	2472	2488	-40.77	0	-40.77	-10.00	PASS
11B	Ant2	2472	2489	-41.20	0	-41.20	-10.00	PASS
11B	Ant2	2472	2490	-42.01	0	-42.01	-10.00	PASS
11B	Ant2	2472	2491	-41.94	0	-41.94	-10.00	PASS
11B	Ant2	2472	2492	-42.19	0	-42.19	-10.00	PASS
11B	Ant2	2472	2493	-42.29	0	-42.29	-10.00	PASS
11B	Ant2	2472	2494	-42.27	0	-42.27	-10.00	PASS
11B	Ant2	2472	2495	-42.25	0	-42.25	-10.00	PASS
11B	Ant2	2472	2495.448	-42.26	0	-42.26	-10.00	PASS
11B	Ant2	2472	2496.448	-42.28	0	-42.28	-20.00	PASS
11B	Ant2	2472	2497.448	-42.29	0	-42.29	-20.00	PASS
11B	Ant2	2472	2498.448	-42.26	0	-42.26	-20.00	PASS
11B	Ant2	2472	2499.448	-42.29	0	-42.29	-20.00	PASS
11B	Ant2	2472	2500.448	-42.08	0	-42.08	-20.00	PASS
11B	Ant2	2472	2501.448	-42.09	0	-42.09	-20.00	PASS
11B	Ant2	2472	2502.448	-42.09	0	-42.09	-20.00	PASS
11B	Ant2	2472	2503.448	-42.07	0	-42.07	-20.00	PASS
11B	Ant2	2472	2504.448	-42.12	0	-42.12	-20.00	PASS
11B	Ant2	2472	2505.448	-42.10	0	-42.10	-20.00	PASS
11B	Ant2	2472	2506.448	-42.10	0	-42.10	-20.00	PASS
11B	Ant2	2472	2507.448	-42.11	0	-42.11	-20.00	PASS
11B	Ant2	2472	2507.896	-42.11	0	-42.11	-20.00	PASS
11G	Ant1	2412	2367.79	-42.30	0	-42.30	-20.00	PASS
11G	Ant1	2412	2368.145	-42.30	0	-42.30	-20.00	PASS
11G	Ant1	2412	2369.145	-42.31	0	-42.31	-20.00	PASS
11G	Ant1	2412	2370.145	-42.31	0	-42.31	-20.00	PASS
11G	Ant1	2412	2371.145	-42.30	0	-42.30	-20.00	PASS
11G	Ant1	2412	2372.145	-42.28	0	-42.28	-20.00	PASS
11G	Ant1	2412	2373.145	-42.28	0	-42.28	-20.00	PASS
11G	Ant1	2412	2374.145	-42.27	0	-42.27	-20.00	PASS
11G	Ant1	2412	2375.145	-42.26	0	-42.26	-20.00	PASS

11G	Ant1	2412	2376.145	-42.27	0	-42.27	-20.00	PASS
11G	Ant1	2412	2377.145	-42.26	0	-42.26	-20.00	PASS
11G	Ant1	2412	2378.145	-42.23	0	-42.23	-20.00	PASS
11G	Ant1	2412	2379.145	-42.20	0	-42.20	-20.00	PASS
11G	Ant1	2412	2380.145	-42.17	0	-42.17	-20.00	PASS
11G	Ant1	2412	2381.145	-42.15	0	-42.15	-20.00	PASS
11G	Ant1	2412	2382.145	-42.12	0	-42.12	-20.00	PASS
11G	Ant1	2412	2383.145	-42.02	0	-42.02	-20.00	PASS
11G	Ant1	2412	2384.145	-41.98	0	-41.98	-10.00	PASS
11G	Ant1	2412	2384.5	-41.95	0	-41.95	-10.00	PASS
11G	Ant1	2412	2385.5	-41.84	0	-41.84	-10.00	PASS
11G	Ant1	2412	2386.5	-41.74	0	-41.74	-10.00	PASS
11G	Ant1	2412	2387.5	-41.59	0	-41.59	-10.00	PASS
11G	Ant1	2412	2388.5	-41.26	0	-41.26	-10.00	PASS
11G	Ant1	2412	2389.5	-40.61	0	-40.61	-10.00	PASS
11G	Ant1	2412	2390.5	-39.63	0	-39.63	-10.00	PASS
11G	Ant1	2412	2391.5	-38.60	0	-38.60	-10.00	PASS
11G	Ant1	2412	2392.5	-37.52	0	-37.52	-10.00	PASS
11G	Ant1	2412	2393.5	-36.46	0	-36.46	-10.00	PASS
11G	Ant1	2412	2394.5	-35.52	0	-35.52	-10.00	PASS
11G	Ant1	2412	2395.5	-34.77	0	-34.77	-10.00	PASS
11G	Ant1	2412	2396.5	-33.98	0	-33.98	-10.00	PASS
11G	Ant1	2412	2397.5	-33.26	0	-33.26	-10.00	PASS
11G	Ant1	2412	2398.5	-32.56	0	-32.56	-10.00	PASS
11G	Ant1	2412	2399.5	-31.99	0	-31.99	-10.00	PASS
11G	Ant2	2412	2367.79	-42.55	0	-42.55	-20.00	PASS
11G	Ant2	2412	2368.145	-42.53	0	-42.53	-20.00	PASS
11G	Ant2	2412	2369.145	-42.53	0	-42.53	-20.00	PASS
11G	Ant2	2412	2370.145	-42.50	0	-42.50	-20.00	PASS
11G	Ant2	2412	2371.145	-42.51	0	-42.51	-20.00	PASS
11G	Ant2	2412	2372.145	-42.49	0	-42.49	-20.00	PASS
11G	Ant2	2412	2373.145	-42.51	0	-42.51	-20.00	PASS
11G	Ant2	2412	2374.145	-42.51	0	-42.51	-20.00	PASS
11G	Ant2	2412	2375.145	-42.49	0	-42.49	-20.00	PASS
11G	Ant2	2412	2376.145	-42.48	0	-42.48	-20.00	PASS
11G	Ant2	2412	2377.145	-42.50	0	-42.50	-20.00	PASS
11G	Ant2	2412	2378.145	-42.45	0	-42.45	-20.00	PASS
11G	Ant2	2412	2379.145	-42.43	0	-42.43	-20.00	PASS
11G	Ant2	2412	2380.145	-42.41	0	-42.41	-20.00	PASS
11G	Ant2	2412	2381.145	-42.40	0	-42.40	-20.00	PASS

11G	Ant2	2412	2382.145	-42.36	0	-42.36	-20.00	PASS
11G	Ant2	2412	2383.145	-42.28	0	-42.28	-20.00	PASS
11G	Ant2	2412	2384.145	-42.22	0	-42.22	-10.00	PASS
11G	Ant2	2412	2384.5	-42.20	0	-42.20	-10.00	PASS
11G	Ant2	2412	2385.5	-42.15	0	-42.15	-10.00	PASS
11G	Ant2	2412	2386.5	-42.03	0	-42.03	-10.00	PASS
11G	Ant2	2412	2387.5	-41.89	0	-41.89	-10.00	PASS
11G	Ant2	2412	2388.5	-41.69	0	-41.69	-10.00	PASS
11G	Ant2	2412	2389.5	-41.26	0	-41.26	-10.00	PASS
11G	Ant2	2412	2390.5	-40.52	0	-40.52	-10.00	PASS
11G	Ant2	2412	2391.5	-39.69	0	-39.69	-10.00	PASS
11G	Ant2	2412	2392.5	-38.70	0	-38.70	-10.00	PASS
11G	Ant2	2412	2393.5	-37.84	0	-37.84	-10.00	PASS
11G	Ant2	2412	2394.5	-36.87	0	-36.87	-10.00	PASS
11G	Ant2	2412	2395.5	-36.04	0	-36.04	-10.00	PASS
11G	Ant2	2412	2396.5	-35.31	0	-35.31	-10.00	PASS
11G	Ant2	2412	2397.5	-34.61	0	-34.61	-10.00	PASS
11G	Ant2	2412	2398.5	-33.94	0	-33.94	-10.00	PASS
11G	Ant2	2412	2399.5	-33.23	0	-33.23	-10.00	PASS
11G	Ant1	2472	2484	-33.78	0	-33.78	-10.00	PASS
11G	Ant1	2472	2485	-34.11	0	-34.11	-10.00	PASS
11G	Ant1	2472	2486	-34.58	0	-34.58	-10.00	PASS
11G	Ant1	2472	2487	-35.26	0	-35.26	-10.00	PASS
11G	Ant1	2472	2488	-35.95	0	-35.95	-10.00	PASS
11G	Ant1	2472	2489	-36.67	0	-36.67	-10.00	PASS
11G	Ant1	2472	2490	-37.44	0	-37.44	-10.00	PASS
11G	Ant1	2472	2491	-38.28	0	-38.28	-10.00	PASS
11G	Ant1	2472	2492	-39.16	0	-39.16	-10.00	PASS
11G	Ant1	2472	2493	-39.84	0	-39.84	-10.00	PASS
11G	Ant1	2472	2494	-40.51	0	-40.51	-10.00	PASS
11G	Ant1	2472	2495	-41.02	0	-41.02	-10.00	PASS
11G	Ant1	2472	2496	-41.30	0	-41.30	-10.00	PASS
11G	Ant1	2472	2497	-41.40	0	-41.40	-10.00	PASS
11G	Ant1	2472	2498	-41.48	0	-41.48	-10.00	PASS
11G	Ant1	2472	2499	-41.55	0	-41.55	-10.00	PASS
11G	Ant1	2472	2499.351	-41.58	0	-41.58	-10.00	PASS
11G	Ant1	2472	2500.351	-41.42	0	-41.42	-20.00	PASS
11G	Ant1	2472	2501.351	-41.48	0	-41.48	-20.00	PASS
11G	Ant1	2472	2502.351	-41.52	0	-41.52	-20.00	PASS
11G	Ant1	2472	2503.351	-41.55	0	-41.55	-20.00	PASS



11G	Ant1	2472	2504.351	-41.60	0	-41.60	-20.00	PASS
11G	Ant1	2472	2505.351	-41.63	0	-41.63	-20.00	PASS
11G	Ant1	2472	2506.351	-41.66	0	-41.66	-20.00	PASS
11G	Ant1	2472	2507.351	-41.68	0	-41.68	-20.00	PASS
11G	Ant1	2472	2508.351	-41.70	0	-41.70	-20.00	PASS
11G	Ant1	2472	2509.351	-41.69	0	-41.69	-20.00	PASS
11G	Ant1	2472	2510.351	-41.71	0	-41.71	-20.00	PASS
11G	Ant1	2472	2511.351	-41.74	0	-41.74	-20.00	PASS
11G	Ant1	2472	2512.351	-41.73	0	-41.73	-20.00	PASS
11G	Ant1	2472	2513.351	-41.76	0	-41.76	-20.00	PASS
11G	Ant1	2472	2514.351	-41.77	0	-41.77	-20.00	PASS
11G	Ant1	2472	2515.351	-41.76	0	-41.76	-20.00	PASS
11G	Ant1	2472	2515.702	-41.74	0	-41.74	-20.00	PASS
11G	Ant2	2472	2484	-34.57	0	-34.57	-10.00	PASS
11G	Ant2	2472	2485	-34.72	0	-34.72	-10.00	PASS
11G	Ant2	2472	2486	-35.16	0	-35.16	-10.00	PASS
11G	Ant2	2472	2487	-35.79	0	-35.79	-10.00	PASS
11G	Ant2	2472	2488	-36.46	0	-36.46	-10.00	PASS
11G	Ant2	2472	2489	-37.39	0	-37.39	-10.00	PASS
11G	Ant2	2472	2490	-38.02	0	-38.02	-10.00	PASS
11G	Ant2	2472	2491	-38.75	0	-38.75	-10.00	PASS
11G	Ant2	2472	2492	-39.52	0	-39.52	-10.00	PASS
11G	Ant2	2472	2493	-40.28	0	-40.28	-10.00	PASS
11G	Ant2	2472	2494	-40.96	0	-40.96	-10.00	PASS
11G	Ant2	2472	2495	-41.39	0	-41.39	-10.00	PASS
11G	Ant2	2472	2496	-41.70	0	-41.70	-10.00	PASS
11G	Ant2	2472	2497	-41.81	0	-41.81	-10.00	PASS
11G	Ant2	2472	2498	-41.86	0	-41.86	-10.00	PASS
11G	Ant2	2472	2499	-41.94	0	-41.94	-10.00	PASS
11G	Ant2	2472	2499.355	-41.94	0	-41.94	-10.00	PASS
11G	Ant2	2472	2500.355	-41.79	0	-41.79	-20.00	PASS
11G	Ant2	2472	2501.355	-41.83	0	-41.83	-20.00	PASS
11G	Ant2	2472	2502.355	-41.88	0	-41.88	-20.00	PASS
11G	Ant2	2472	2503.355	-41.92	0	-41.92	-20.00	PASS
11G	Ant2	2472	2504.355	-41.95	0	-41.95	-20.00	PASS
11G	Ant2	2472	2505.355	-41.95	0	-41.95	-20.00	PASS
11G	Ant2	2472	2506.355	-41.99	0	-41.99	-20.00	PASS
11G	Ant2	2472	2507.355	-42.01	0	-42.01	-20.00	PASS
11G	Ant2	2472	2508.355	-42.03	0	-42.03	-20.00	PASS
11G	Ant2	2472	2509.355	-42.02	0	-42.02	-20.00	PASS

11G	Ant2	2472	2510.355	-42.04	0	-42.04	-20.00	PASS
11G	Ant2	2472	2511.355	-42.05	0	-42.05	-20.00	PASS
11G	Ant2	2472	2512.355	-42.08	0	-42.08	-20.00	PASS
11G	Ant2	2472	2513.355	-42.05	0	-42.05	-20.00	PASS
11G	Ant2	2472	2514.355	-42.07	0	-42.07	-20.00	PASS
11G	Ant2	2472	2515.355	-42.09	0	-42.09	-20.00	PASS
11G	Ant2	2472	2515.71	-42.07	0	-42.07	-20.00	PASS
11N20MIMO	Ant1	2412	2365.536	-51.41	0	-51.41	-26.01	PASS
11N20MIMO	Ant1	2412	2366.018	-51.42	0	-51.42	-26.01	PASS
11N20MIMO	Ant1	2412	2367.018	-51.40	0	-51.40	-26.01	PASS
11N20MIMO	Ant1	2412	2368.018	-51.37	0	-51.37	-26.01	PASS
11N20MIMO	Ant1	2412	2369.018	-51.38	0	-51.38	-26.01	PASS
11N20MIMO	Ant1	2412	2370.018	-51.35	0	-51.35	-26.01	PASS
11N20MIMO	Ant1	2412	2371.018	-51.32	0	-51.32	-26.01	PASS
11N20MIMO	Ant1	2412	2372.018	-51.32	0	-51.32	-26.01	PASS
11N20MIMO	Ant1	2412	2373.018	-51.29	0	-51.29	-26.01	PASS
11N20MIMO	Ant1	2412	2374.018	-51.29	0	-51.29	-26.01	PASS
11N20MIMO	Ant1	2412	2375.018	-51.26	0	-51.26	-26.01	PASS
11N20MIMO	Ant1	2412	2376.018	-51.25	0	-51.25	-26.01	PASS
11N20MIMO	Ant1	2412	2377.018	-51.23	0	-51.23	-26.01	PASS
11N20MIMO	Ant1	2412	2378.018	-51.20	0	-51.20	-26.01	PASS
11N20MIMO	Ant1	2412	2379.018	-51.16	0	-51.16	-26.01	PASS
11N20MIMO	Ant1	2412	2380.018	-51.12	0	-51.12	-26.01	PASS
11N20MIMO	Ant1	2412	2381.018	-51.09	0	-51.09	-26.01	PASS
11N20MIMO	Ant1	2412	2382.018	-51.05	0	-51.05	-26.01	PASS
11N20MIMO	Ant1	2412	2383.018	-50.99	0	-50.99	-16.01	PASS
11N20MIMO	Ant1	2412	2383.5	-50.99	0	-50.99	-16.01	PASS
11N20MIMO	Ant1	2412	2384.5	-50.93	0	-50.93	-16.01	PASS
11N20MIMO	Ant1	2412	2385.5	-50.85	0	-50.85	-16.01	PASS
11N20MIMO	Ant1	2412	2386.5	-50.65	0	-50.65	-16.01	PASS
11N20MIMO	Ant1	2412	2387.5	-50.35	0	-50.35	-16.01	PASS
11N20MIMO	Ant1	2412	2388.5	-49.87	0	-49.87	-16.01	PASS
11N20MIMO	Ant1	2412	2389.5	-49.16	0	-49.16	-16.01	PASS
11N20MIMO	Ant1	2412	2390.5	-48.35	0	-48.35	-16.01	PASS
11N20MIMO	Ant1	2412	2391.5	-47.36	0	-47.36	-16.01	PASS
11N20MIMO	Ant1	2412	2392.5	-46.29	0	-46.29	-16.01	PASS
11N20MIMO	Ant1	2412	2393.5	-45.32	0	-45.32	-16.01	PASS
11N20MIMO	Ant1	2412	2394.5	-44.45	0	-44.45	-16.01	PASS
11N20MIMO	Ant1	2412	2395.5	-43.50	0	-43.50	-16.01	PASS
11N20MIMO	Ant1	2412	2396.5	-42.82	0	-42.82	-16.01	PASS

11N20MIMO	Ant1	2412	2397.5	-42.03	0	-42.03	-16.01	PASS
11N20MIMO	Ant1	2412	2398.5	-41.39	0	-41.39	-16.01	PASS
11N20MIMO	Ant1	2412	2399.5	-40.68	0	-40.68	-16.01	PASS
11N20MIMO	Ant2	2412	2365.534	-51.71	0	-51.71	-26.01	PASS
11N20MIMO	Ant2	2412	2366.017	-51.71	0	-51.71	-26.01	PASS
11N20MIMO	Ant2	2412	2367.017	-51.69	0	-51.69	-26.01	PASS
11N20MIMO	Ant2	2412	2368.017	-51.70	0	-51.70	-26.01	PASS
11N20MIMO	Ant2	2412	2369.017	-51.67	0	-51.67	-26.01	PASS
11N20MIMO	Ant2	2412	2370.017	-51.67	0	-51.67	-26.01	PASS
11N20MIMO	Ant2	2412	2371.017	-51.66	0	-51.66	-26.01	PASS
11N20MIMO	Ant2	2412	2372.017	-51.64	0	-51.64	-26.01	PASS
11N20MIMO	Ant2	2412	2373.017	-51.62	0	-51.62	-26.01	PASS
11N20MIMO	Ant2	2412	2374.017	-51.63	0	-51.63	-26.01	PASS
11N20MIMO	Ant2	2412	2375.017	-51.58	0	-51.58	-26.01	PASS
11N20MIMO	Ant2	2412	2376.017	-51.60	0	-51.60	-26.01	PASS
11N20MIMO	Ant2	2412	2377.017	-51.58	0	-51.58	-26.01	PASS
11N20MIMO	Ant2	2412	2378.017	-51.55	0	-51.55	-26.01	PASS
11N20MIMO	Ant2	2412	2379.017	-51.52	0	-51.52	-26.01	PASS
11N20MIMO	Ant2	2412	2380.017	-51.51	0	-51.51	-26.01	PASS
11N20MIMO	Ant2	2412	2381.017	-51.50	0	-51.50	-26.01	PASS
11N20MIMO	Ant2	2412	2382.017	-51.46	0	-51.46	-26.01	PASS
11N20MIMO	Ant2	2412	2383.017	-51.41	0	-51.41	-16.01	PASS
11N20MIMO	Ant2	2412	2383.5	-51.40	0	-51.40	-16.01	PASS
11N20MIMO	Ant2	2412	2384.5	-51.35	0	-51.35	-16.01	PASS
11N20MIMO	Ant2	2412	2385.5	-51.28	0	-51.28	-16.01	PASS
11N20MIMO	Ant2	2412	2386.5	-51.21	0	-51.21	-16.01	PASS
11N20MIMO	Ant2	2412	2387.5	-51.07	0	-51.07	-16.01	PASS
11N20MIMO	Ant2	2412	2388.5	-50.85	0	-50.85	-16.01	PASS
11N20MIMO	Ant2	2412	2389.5	-50.54	0	-50.54	-16.01	PASS
11N20MIMO	Ant2	2412	2390.5	-50.11	0	-50.11	-16.01	PASS
11N20MIMO	Ant2	2412	2391.5	-49.58	0	-49.58	-16.01	PASS
11N20MIMO	Ant2	2412	2392.5	-48.89	0	-48.89	-16.01	PASS
11N20MIMO	Ant2	2412	2393.5	-48.14	0	-48.14	-16.01	PASS
11N20MIMO	Ant2	2412	2394.5	-47.51	0	-47.51	-16.01	PASS
11N20MIMO	Ant2	2412	2395.5	-46.82	0	-46.82	-16.01	PASS
11N20MIMO	Ant2	2412	2396.5	-46.28	0	-46.28	-16.01	PASS
11N20MIMO	Ant2	2412	2397.5	-45.51	0	-45.51	-16.01	PASS
11N20MIMO	Ant2	2412	2398.5	-44.99	0	-44.99	-16.01	PASS
11N20MIMO	Ant2	2412	2399.5	-44.33	0	-44.33	-16.01	PASS
11N20MIMO	Ant1	2472	2484	-44.02	0	-44.02	-16.01	PASS



11N20MIMO	Ant1	2472	2485	-44.72	0	-44.72	-16.01	PASS
11N20MIMO	Ant1	2472	2486	-44.93	0	-44.93	-16.01	PASS
11N20MIMO	Ant1	2472	2487	-45.54	0	-45.54	-16.01	PASS
11N20MIMO	Ant1	2472	2488	-46.16	0	-46.16	-16.01	PASS
11N20MIMO	Ant1	2472	2489	-46.53	0	-46.53	-16.01	PASS
11N20MIMO	Ant1	2472	2490	-47.45	0	-47.45	-16.01	PASS
11N20MIMO	Ant1	2472	2491	-47.67	0	-47.67	-16.01	PASS
11N20MIMO	Ant1	2472	2492	-48.13	0	-48.13	-16.01	PASS
11N20MIMO	Ant1	2472	2493	-48.48	0	-48.48	-16.01	PASS
11N20MIMO	Ant1	2472	2494	-48.80	0	-48.80	-16.01	PASS
11N20MIMO	Ant1	2472	2495	-49.07	0	-49.07	-16.01	PASS
11N20MIMO	Ant1	2472	2496	-49.33	0	-49.33	-16.01	PASS
11N20MIMO	Ant1	2472	2497	-49.53	0	-49.53	-16.01	PASS
11N20MIMO	Ant1	2472	2498	-49.69	0	-49.69	-16.01	PASS
11N20MIMO	Ant1	2472	2499	-49.81	0	-49.81	-16.01	PASS
11N20MIMO	Ant1	2472	2500	-49.89	0	-49.89	-16.01	PASS
11N20MIMO	Ant1	2472	2500.478	-49.72	0	-49.72	-16.01	PASS
11N20MIMO	Ant1	2472	2501.478	-49.81	0	-49.81	-26.01	PASS
11N20MIMO	Ant1	2472	2502.478	-49.90	0	-49.90	-26.01	PASS
11N20MIMO	Ant1	2472	2503.478	-49.93	0	-49.93	-26.01	PASS
11N20MIMO	Ant1	2472	2504.478	-49.98	0	-49.98	-26.01	PASS
11N20MIMO	Ant1	2472	2505.478	-50.05	0	-50.05	-26.01	PASS
11N20MIMO	Ant1	2472	2506.478	-50.07	0	-50.07	-26.01	PASS
11N20MIMO	Ant1	2472	2507.478	-50.11	0	-50.11	-26.01	PASS
11N20MIMO	Ant1	2472	2508.478	-50.12	0	-50.12	-26.01	PASS
11N20MIMO	Ant1	2472	2509.478	-50.17	0	-50.17	-26.01	PASS
11N20MIMO	Ant1	2472	2510.478	-50.19	0	-50.19	-26.01	PASS
11N20MIMO	Ant1	2472	2511.478	-50.21	0	-50.21	-26.01	PASS
11N20MIMO	Ant1	2472	2512.478	-50.21	0	-50.21	-26.01	PASS
11N20MIMO	Ant1	2472	2513.478	-50.23	0	-50.23	-26.01	PASS
11N20MIMO	Ant1	2472	2514.478	-50.27	0	-50.27	-26.01	PASS
11N20MIMO	Ant1	2472	2515.478	-50.25	0	-50.25	-26.01	PASS
11N20MIMO	Ant1	2472	2516.478	-50.29	0	-50.29	-26.01	PASS
11N20MIMO	Ant1	2472	2517.478	-50.29	0	-50.29	-26.01	PASS
11N20MIMO	Ant1	2472	2517.956	-50.29	0	-50.29	-26.01	PASS
11N20MIMO	Ant2	2472	2484	-47.57	0	-47.57	-16.01	PASS
11N20MIMO	Ant2	2472	2485	-48.18	0	-48.18	-16.01	PASS
11N20MIMO	Ant2	2472	2486	-48.34	0	-48.34	-16.01	PASS
11N20MIMO	Ant2	2472	2487	-48.85	0	-48.85	-16.01	PASS
11N20MIMO	Ant2	2472	2488	-49.25	0	-49.25	-16.01	PASS

11N20MIMO	Ant2	2472	2489	-49.56	0	-49.56	-16.01	PASS
11N20MIMO	Ant2	2472	2490	-49.94	0	-49.94	-16.01	PASS
11N20MIMO	Ant2	2472	2491	-50.22	0	-50.22	-16.01	PASS
11N20MIMO	Ant2	2472	2492	-50.48	0	-50.48	-16.01	PASS
11N20MIMO	Ant2	2472	2493	-50.70	0	-50.70	-16.01	PASS
11N20MIMO	Ant2	2472	2494	-50.83	0	-50.83	-16.01	PASS
11N20MIMO	Ant2	2472	2495	-50.94	0	-50.94	-16.01	PASS
11N20MIMO	Ant2	2472	2496	-51.04	0	-51.04	-16.01	PASS
11N20MIMO	Ant2	2472	2497	-51.09	0	-51.09	-16.01	PASS
11N20MIMO	Ant2	2472	2498	-51.13	0	-51.13	-16.01	PASS
11N20MIMO	Ant2	2472	2499	-51.19	0	-51.19	-16.01	PASS
11N20MIMO	Ant2	2472	2500	-51.21	0	-51.21	-16.01	PASS
11N20MIMO	Ant2	2472	2500.479	-50.99	0	-50.99	-16.01	PASS
11N20MIMO	Ant2	2472	2501.479	-51.05	0	-51.05	-26.01	PASS
11N20MIMO	Ant2	2472	2502.479	-51.07	0	-51.07	-26.01	PASS
11N20MIMO	Ant2	2472	2503.479	-51.06	0	-51.06	-26.01	PASS
11N20MIMO	Ant2	2472	2504.479	-51.10	0	-51.10	-26.01	PASS
11N20MIMO	Ant2	2472	2505.479	-51.12	0	-51.12	-26.01	PASS
11N20MIMO	Ant2	2472	2506.479	-51.16	0	-51.16	-26.01	PASS
11N20MIMO	Ant2	2472	2507.479	-51.19	0	-51.19	-26.01	PASS
11N20MIMO	Ant2	2472	2508.479	-51.19	0	-51.19	-26.01	PASS
11N20MIMO	Ant2	2472	2509.479	-51.21	0	-51.21	-26.01	PASS
11N20MIMO	Ant2	2472	2510.479	-51.25	0	-51.25	-26.01	PASS
11N20MIMO	Ant2	2472	2511.479	-51.24	0	-51.24	-26.01	PASS
11N20MIMO	Ant2	2472	2512.479	-51.25	0	-51.25	-26.01	PASS
11N20MIMO	Ant2	2472	2513.479	-51.27	0	-51.27	-26.01	PASS
11N20MIMO	Ant2	2472	2514.479	-51.27	0	-51.27	-26.01	PASS
11N20MIMO	Ant2	2472	2515.479	-51.31	0	-51.31	-26.01	PASS
11N20MIMO	Ant2	2472	2516.479	-51.30	0	-51.30	-26.01	PASS
11N20MIMO	Ant2	2472	2517.479	-51.34	0	-51.34	-26.01	PASS
11N20MIMO	Ant2	2472	2517.958	-51.30	0	-51.30	-26.01	PASS
11N40MIMO	Ant1	2422	2328.688	-51.52	0	-51.52	-26.01	PASS
11N40MIMO	Ant1	2422	2328.876	-51.55	0	-51.55	-26.01	PASS
11N40MIMO	Ant1	2422	2329.688	-51.55	0	-51.55	-26.01	PASS
11N40MIMO	Ant1	2422	2330.688	-51.71	0	-51.71	-26.01	PASS
11N40MIMO	Ant1	2422	2331.688	-51.66	0	-51.66	-26.01	PASS
11N40MIMO	Ant1	2422	2332.688	-51.67	0	-51.67	-26.01	PASS
11N40MIMO	Ant1	2422	2333.688	-51.67	0	-51.67	-26.01	PASS
11N40MIMO	Ant1	2422	2334.688	-51.66	0	-51.66	-26.01	PASS
11N40MIMO	Ant1	2422	2335.688	-51.63	0	-51.63	-26.01	PASS

11N40MIMO	Ant1	2422	2336.688	-51.61	0	-51.61	-26.01	PASS
11N40MIMO	Ant1	2422	2337.688	-51.63	0	-51.63	-26.01	PASS
11N40MIMO	Ant1	2422	2338.688	-51.59	0	-51.59	-26.01	PASS
11N40MIMO	Ant1	2422	2339.688	-51.57	0	-51.57	-26.01	PASS
11N40MIMO	Ant1	2422	2340.688	-51.60	0	-51.60	-26.01	PASS
11N40MIMO	Ant1	2422	2341.688	-51.56	0	-51.56	-26.01	PASS
11N40MIMO	Ant1	2422	2342.688	-51.58	0	-51.58	-26.01	PASS
11N40MIMO	Ant1	2422	2343.688	-51.55	0	-51.55	-26.01	PASS
11N40MIMO	Ant1	2422	2344.688	-51.56	0	-51.56	-26.01	PASS
11N40MIMO	Ant1	2422	2345.688	-51.54	0	-51.54	-26.01	PASS
11N40MIMO	Ant1	2422	2346.688	-51.52	0	-51.52	-26.01	PASS
11N40MIMO	Ant1	2422	2347.688	-51.52	0	-51.52	-26.01	PASS
11N40MIMO	Ant1	2422	2348.688	-51.52	0	-51.52	-26.01	PASS
11N40MIMO	Ant1	2422	2349.688	-51.49	0	-51.49	-26.01	PASS
11N40MIMO	Ant1	2422	2350.688	-51.48	0	-51.48	-26.01	PASS
11N40MIMO	Ant1	2422	2351.688	-51.47	0	-51.47	-26.01	PASS
11N40MIMO	Ant1	2422	2352.688	-51.46	0	-51.46	-26.01	PASS
11N40MIMO	Ant1	2422	2353.688	-51.46	0	-51.46	-26.01	PASS
11N40MIMO	Ant1	2422	2354.688	-51.42	0	-51.42	-26.01	PASS
11N40MIMO	Ant1	2422	2355.688	-51.42	0	-51.42	-26.01	PASS
11N40MIMO	Ant1	2422	2356.688	-51.41	0	-51.41	-26.01	PASS
11N40MIMO	Ant1	2422	2357.688	-51.42	0	-51.42	-26.01	PASS
11N40MIMO	Ant1	2422	2358.688	-51.40	0	-51.40	-26.01	PASS
11N40MIMO	Ant1	2422	2359.688	-51.36	0	-51.36	-26.01	PASS
11N40MIMO	Ant1	2422	2360.688	-51.37	0	-51.37	-26.01	PASS
11N40MIMO	Ant1	2422	2361.688	-51.37	0	-51.37	-26.01	PASS
11N40MIMO	Ant1	2422	2362.688	-51.34	0	-51.34	-26.01	PASS
11N40MIMO	Ant1	2422	2363.688	-51.32	0	-51.32	-26.01	PASS
11N40MIMO	Ant1	2422	2364.5	-51.30	0	-51.30	-16.01	PASS
11N40MIMO	Ant1	2422	2364.688	-51.30	0	-51.30	-16.01	PASS
11N40MIMO	Ant1	2422	2365.5	-51.26	0	-51.26	-16.01	PASS
11N40MIMO	Ant1	2422	2366.5	-51.24	0	-51.24	-16.01	PASS
11N40MIMO	Ant1	2422	2367.5	-51.23	0	-51.23	-16.01	PASS
11N40MIMO	Ant1	2422	2368.5	-51.20	0	-51.20	-16.01	PASS
11N40MIMO	Ant1	2422	2369.5	-51.11	0	-51.11	-16.01	PASS
11N40MIMO	Ant1	2422	2370.5	-51.05	0	-51.05	-16.01	PASS
11N40MIMO	Ant1	2422	2371.5	-51.06	0	-51.06	-16.01	PASS
11N40MIMO	Ant1	2422	2372.5	-50.95	0	-50.95	-16.01	PASS
11N40MIMO	Ant1	2422	2373.5	-50.84	0	-50.84	-16.01	PASS
11N40MIMO	Ant1	2422	2374.5	-50.68	0	-50.68	-16.01	PASS

11N40MIMO	Ant1	2422	2375.5	-50.59	0	-50.59	-16.01	PASS
11N40MIMO	Ant1	2422	2376.5	-50.39	0	-50.39	-16.01	PASS
11N40MIMO	Ant1	2422	2377.5	-50.19	0	-50.19	-16.01	PASS
11N40MIMO	Ant1	2422	2378.5	-49.99	0	-49.99	-16.01	PASS
11N40MIMO	Ant1	2422	2379.5	-49.70	0	-49.70	-16.01	PASS
11N40MIMO	Ant1	2422	2380.5	-49.42	0	-49.42	-16.01	PASS
11N40MIMO	Ant1	2422	2381.5	-49.07	0	-49.07	-16.01	PASS
11N40MIMO	Ant1	2422	2382.5	-48.80	0	-48.80	-16.01	PASS
11N40MIMO	Ant1	2422	2383.5	-48.12	0	-48.12	-16.01	PASS
11N40MIMO	Ant1	2422	2384.5	-45.59	0	-45.59	-16.01	PASS
11N40MIMO	Ant1	2422	2385.5	-46.54	0	-46.54	-16.01	PASS
11N40MIMO	Ant1	2422	2386.5	-46.36	0	-46.36	-16.01	PASS
11N40MIMO	Ant1	2422	2387.5	-44.96	0	-44.96	-16.01	PASS
11N40MIMO	Ant1	2422	2388.5	-44.50	0	-44.50	-16.01	PASS
11N40MIMO	Ant1	2422	2389.5	-44.90	0	-44.90	-16.01	PASS
11N40MIMO	Ant1	2422	2390.5	-43.65	0	-43.65	-16.01	PASS
11N40MIMO	Ant1	2422	2391.5	-44.84	0	-44.84	-16.01	PASS
11N40MIMO	Ant1	2422	2392.5	-44.44	0	-44.44	-16.01	PASS
11N40MIMO	Ant1	2422	2393.5	-42.84	0	-42.84	-16.01	PASS
11N40MIMO	Ant1	2422	2394.5	-42.25	0	-42.25	-16.01	PASS
11N40MIMO	Ant1	2422	2395.5	-42.55	0	-42.55	-16.01	PASS
11N40MIMO	Ant1	2422	2396.5	-40.39	0	-40.39	-16.01	PASS
11N40MIMO	Ant1	2422	2397.5	-41.81	0	-41.81	-16.01	PASS
11N40MIMO	Ant1	2422	2398.5	-41.47	0	-41.47	-16.01	PASS
11N40MIMO	Ant1	2422	2399.5	-40.96	0	-40.96	-16.01	PASS
11N40MIMO	Ant2	2422	2328.692	-51.66	0	-51.66	-26.01	PASS
11N40MIMO	Ant2	2422	2328.884	-51.67	0	-51.67	-26.01	PASS
11N40MIMO	Ant2	2422	2329.692	-51.64	0	-51.64	-26.01	PASS
11N40MIMO	Ant2	2422	2330.692	-51.81	0	-51.81	-26.01	PASS
11N40MIMO	Ant2	2422	2331.692	-51.82	0	-51.82	-26.01	PASS
11N40MIMO	Ant2	2422	2332.692	-51.80	0	-51.80	-26.01	PASS
11N40MIMO	Ant2	2422	2333.692	-51.81	0	-51.81	-26.01	PASS
11N40MIMO	Ant2	2422	2334.692	-51.79	0	-51.79	-26.01	PASS
11N40MIMO	Ant2	2422	2335.692	-51.81	0	-51.81	-26.01	PASS
11N40MIMO	Ant2	2422	2336.692	-51.77	0	-51.77	-26.01	PASS
11N40MIMO	Ant2	2422	2337.692	-51.76	0	-51.76	-26.01	PASS
11N40MIMO	Ant2	2422	2338.692	-51.77	0	-51.77	-26.01	PASS
11N40MIMO	Ant2	2422	2339.692	-51.77	0	-51.77	-26.01	PASS
11N40MIMO	Ant2	2422	2340.692	-51.74	0	-51.74	-26.01	PASS
11N40MIMO	Ant2	2422	2341.692	-51.78	0	-51.78	-26.01	PASS



11N40MIMO	Ant2	2422	2342.692	-51.77	0	-51.77	-26.01	PASS
11N40MIMO	Ant2	2422	2343.692	-51.75	0	-51.75	-26.01	PASS
11N40MIMO	Ant2	2422	2344.692	-51.74	0	-51.74	-26.01	PASS
11N40MIMO	Ant2	2422	2345.692	-51.74	0	-51.74	-26.01	PASS
11N40MIMO	Ant2	2422	2346.692	-51.75	0	-51.75	-26.01	PASS
11N40MIMO	Ant2	2422	2347.692	-51.75	0	-51.75	-26.01	PASS
11N40MIMO	Ant2	2422	2348.692	-51.72	0	-51.72	-26.01	PASS
11N40MIMO	Ant2	2422	2349.692	-51.73	0	-51.73	-26.01	PASS
11N40MIMO	Ant2	2422	2350.692	-51.69	0	-51.69	-26.01	PASS
11N40MIMO	Ant2	2422	2351.692	-51.71	0	-51.71	-26.01	PASS
11N40MIMO	Ant2	2422	2352.692	-51.68	0	-51.68	-26.01	PASS
11N40MIMO	Ant2	2422	2353.692	-51.63	0	-51.63	-26.01	PASS
11N40MIMO	Ant2	2422	2354.692	-51.65	0	-51.65	-26.01	PASS
11N40MIMO	Ant2	2422	2355.692	-51.66	0	-51.66	-26.01	PASS
11N40MIMO	Ant2	2422	2356.692	-51.64	0	-51.64	-26.01	PASS
11N40MIMO	Ant2	2422	2357.692	-51.64	0	-51.64	-26.01	PASS
11N40MIMO	Ant2	2422	2358.692	-51.63	0	-51.63	-26.01	PASS
11N40MIMO	Ant2	2422	2359.692	-51.61	0	-51.61	-26.01	PASS
11N40MIMO	Ant2	2422	2360.692	-51.63	0	-51.63	-26.01	PASS
11N40MIMO	Ant2	2422	2361.692	-51.62	0	-51.62	-26.01	PASS
11N40MIMO	Ant2	2422	2362.692	-51.63	0	-51.63	-26.01	PASS
11N40MIMO	Ant2	2422	2363.692	-51.59	0	-51.59	-26.01	PASS
11N40MIMO	Ant2	2422	2364.5	-51.56	0	-51.56	-16.01	PASS
11N40MIMO	Ant2	2422	2364.692	-51.57	0	-51.57	-16.01	PASS
11N40MIMO	Ant2	2422	2365.5	-51.58	0	-51.58	-16.01	PASS
11N40MIMO	Ant2	2422	2366.5	-51.54	0	-51.54	-16.01	PASS
11N40MIMO	Ant2	2422	2367.5	-51.56	0	-51.56	-16.01	PASS
11N40MIMO	Ant2	2422	2368.5	-51.53	0	-51.53	-16.01	PASS
11N40MIMO	Ant2	2422	2369.5	-51.49	0	-51.49	-16.01	PASS
11N40MIMO	Ant2	2422	2370.5	-51.43	0	-51.43	-16.01	PASS
11N40MIMO	Ant2	2422	2371.5	-51.41	0	-51.41	-16.01	PASS
11N40MIMO	Ant2	2422	2372.5	-51.37	0	-51.37	-16.01	PASS
11N40MIMO	Ant2	2422	2373.5	-51.31	0	-51.31	-16.01	PASS
11N40MIMO	Ant2	2422	2374.5	-51.21	0	-51.21	-16.01	PASS
11N40MIMO	Ant2	2422	2375.5	-51.10	0	-51.10	-16.01	PASS
11N40MIMO	Ant2	2422	2376.5	-50.98	0	-50.98	-16.01	PASS
11N40MIMO	Ant2	2422	2377.5	-50.85	0	-50.85	-16.01	PASS
11N40MIMO	Ant2	2422	2378.5	-50.64	0	-50.64	-16.01	PASS
11N40MIMO	Ant2	2422	2379.5	-50.48	0	-50.48	-16.01	PASS
11N40MIMO	Ant2	2422	2380.5	-50.29	0	-50.29	-16.01	PASS

11N40MIMO	Ant2	2422	2381.5	-50.09	0	-50.09	-16.01	PASS
11N40MIMO	Ant2	2422	2382.5	-49.80	0	-49.80	-16.01	PASS
11N40MIMO	Ant2	2422	2383.5	-49.48	0	-49.48	-16.01	PASS
11N40MIMO	Ant2	2422	2384.5	-48.15	0	-48.15	-16.01	PASS
11N40MIMO	Ant2	2422	2385.5	-47.97	0	-47.97	-16.01	PASS
11N40MIMO	Ant2	2422	2386.5	-47.83	0	-47.83	-16.01	PASS
11N40MIMO	Ant2	2422	2387.5	-47.72	0	-47.72	-16.01	PASS
11N40MIMO	Ant2	2422	2388.5	-46.65	0	-46.65	-16.01	PASS
11N40MIMO	Ant2	2422	2389.5	-46.29	0	-46.29	-16.01	PASS
11N40MIMO	Ant2	2422	2390.5	-45.98	0	-45.98	-16.01	PASS
11N40MIMO	Ant2	2422	2391.5	-46.79	0	-46.79	-16.01	PASS
11N40MIMO	Ant2	2422	2392.5	-46.59	0	-46.59	-16.01	PASS
11N40MIMO	Ant2	2422	2393.5	-45.28	0	-45.28	-16.01	PASS
11N40MIMO	Ant2	2422	2394.5	-44.06	0	-44.06	-16.01	PASS
11N40MIMO	Ant2	2422	2395.5	-44.96	0	-44.96	-16.01	PASS
11N40MIMO	Ant2	2422	2396.5	-43.42	0	-43.42	-16.01	PASS
11N40MIMO	Ant2	2422	2397.5	-44.98	0	-44.98	-16.01	PASS
11N40MIMO	Ant2	2422	2398.5	-43.82	0	-43.82	-16.01	PASS
11N40MIMO	Ant2	2422	2399.5	-42.92	0	-42.92	-16.01	PASS
11N40MIMO	Ant1	2462	2484	-44.77	0	-44.77	-16.01	PASS
11N40MIMO	Ant1	2462	2485	-44.41	0	-44.41	-16.01	PASS
11N40MIMO	Ant1	2462	2486	-44.57	0	-44.57	-16.01	PASS
11N40MIMO	Ant1	2462	2487	-44.49	0	-44.49	-16.01	PASS
11N40MIMO	Ant1	2462	2488	-44.66	0	-44.66	-16.01	PASS
11N40MIMO	Ant1	2462	2489	-45.93	0	-45.93	-16.01	PASS
11N40MIMO	Ant1	2462	2490	-45.81	0	-45.81	-16.01	PASS
11N40MIMO	Ant1	2462	2491	-45.73	0	-45.73	-16.01	PASS
11N40MIMO	Ant1	2462	2492	-47.06	0	-47.06	-16.01	PASS
11N40MIMO	Ant1	2462	2493	-46.10	0	-46.10	-16.01	PASS
11N40MIMO	Ant1	2462	2494	-46.97	0	-46.97	-16.01	PASS
11N40MIMO	Ant1	2462	2495	-47.06	0	-47.06	-16.01	PASS
11N40MIMO	Ant1	2462	2496	-47.14	0	-47.14	-16.01	PASS
11N40MIMO	Ant1	2462	2497	-47.71	0	-47.71	-16.01	PASS
11N40MIMO	Ant1	2462	2498	-47.97	0	-47.97	-16.01	PASS
11N40MIMO	Ant1	2462	2499	-48.05	0	-48.05	-16.01	PASS
11N40MIMO	Ant1	2462	2500	-48.35	0	-48.35	-16.01	PASS
11N40MIMO	Ant1	2462	2501	-48.66	0	-48.66	-16.01	PASS
11N40MIMO	Ant1	2462	2502	-48.82	0	-48.82	-16.01	PASS
11N40MIMO	Ant1	2462	2503	-48.96	0	-48.96	-16.01	PASS
11N40MIMO	Ant1	2462	2504	-49.05	0	-49.05	-16.01	PASS

11N40MIMO	Ant1	2462	2505	-49.07	0	-49.07	-16.01	PASS
11N40MIMO	Ant1	2462	2506	-49.25	0	-49.25	-16.01	PASS
11N40MIMO	Ant1	2462	2507	-49.35	0	-49.35	-16.01	PASS
11N40MIMO	Ant1	2462	2508	-49.34	0	-49.34	-16.01	PASS
11N40MIMO	Ant1	2462	2509	-49.52	0	-49.52	-16.01	PASS
11N40MIMO	Ant1	2462	2510	-49.60	0	-49.60	-16.01	PASS
11N40MIMO	Ant1	2462	2511	-49.70	0	-49.70	-16.01	PASS
11N40MIMO	Ant1	2462	2512	-49.76	0	-49.76	-16.01	PASS
11N40MIMO	Ant1	2462	2513	-49.79	0	-49.79	-16.01	PASS
11N40MIMO	Ant1	2462	2514	-49.85	0	-49.85	-16.01	PASS
11N40MIMO	Ant1	2462	2515	-49.88	0	-49.88	-16.01	PASS
11N40MIMO	Ant1	2462	2516	-49.96	0	-49.96	-16.01	PASS
11N40MIMO	Ant1	2462	2517	-49.92	0	-49.92	-16.01	PASS
11N40MIMO	Ant1	2462	2518	-49.98	0	-49.98	-16.01	PASS
11N40MIMO	Ant1	2462	2518.826	-50.00	0	-50.00	-16.01	PASS
11N40MIMO	Ant1	2462	2519	-50.00	0	-50.00	-16.01	PASS
11N40MIMO	Ant1	2462	2519.826	-50.01	0	-50.01	-26.01	PASS
11N40MIMO	Ant1	2462	2520.826	-50.07	0	-50.07	-26.01	PASS
11N40MIMO	Ant1	2462	2521.826	-50.12	0	-50.12	-26.01	PASS
11N40MIMO	Ant1	2462	2522.826	-50.11	0	-50.11	-26.01	PASS
11N40MIMO	Ant1	2462	2523.826	-50.15	0	-50.15	-26.01	PASS
11N40MIMO	Ant1	2462	2524.826	-50.13	0	-50.13	-26.01	PASS
11N40MIMO	Ant1	2462	2525.826	-50.13	0	-50.13	-26.01	PASS
11N40MIMO	Ant1	2462	2526.826	-50.14	0	-50.14	-26.01	PASS
11N40MIMO	Ant1	2462	2527.826	-50.18	0	-50.18	-26.01	PASS
11N40MIMO	Ant1	2462	2528.826	-50.18	0	-50.18	-26.01	PASS
11N40MIMO	Ant1	2462	2529.826	-50.20	0	-50.20	-26.01	PASS
11N40MIMO	Ant1	2462	2530.826	-50.20	0	-50.20	-26.01	PASS
11N40MIMO	Ant1	2462	2531.826	-50.23	0	-50.23	-26.01	PASS
11N40MIMO	Ant1	2462	2532.826	-50.23	0	-50.23	-26.01	PASS
11N40MIMO	Ant1	2462	2533.826	-50.22	0	-50.22	-26.01	PASS
11N40MIMO	Ant1	2462	2534.826	-50.24	0	-50.24	-26.01	PASS
11N40MIMO	Ant1	2462	2535.826	-50.22	0	-50.22	-26.01	PASS
11N40MIMO	Ant1	2462	2536.826	-50.26	0	-50.26	-26.01	PASS
11N40MIMO	Ant1	2462	2537.826	-50.27	0	-50.27	-26.01	PASS
11N40MIMO	Ant1	2462	2538.826	-50.25	0	-50.25	-26.01	PASS
11N40MIMO	Ant1	2462	2539.826	-50.26	0	-50.26	-26.01	PASS
11N40MIMO	Ant1	2462	2540.826	-50.24	0	-50.24	-26.01	PASS
11N40MIMO	Ant1	2462	2541.826	-50.31	0	-50.31	-26.01	PASS
11N40MIMO	Ant1	2462	2542.826	-50.27	0	-50.27	-26.01	PASS



11N40MIMO	Ant1	2462	2543.826	-49.89	0	-49.89	-26.01	PASS
11N40MIMO	Ant1	2462	2544.826	-50.28	0	-50.28	-26.01	PASS
11N40MIMO	Ant1	2462	2545.826	-50.30	0	-50.30	-26.01	PASS
11N40MIMO	Ant1	2462	2546.826	-50.34	0	-50.34	-26.01	PASS
11N40MIMO	Ant1	2462	2547.826	-50.34	0	-50.34	-26.01	PASS
11N40MIMO	Ant1	2462	2548.826	-50.37	0	-50.37	-26.01	PASS
11N40MIMO	Ant1	2462	2549.826	-50.34	0	-50.34	-26.01	PASS
11N40MIMO	Ant1	2462	2550.826	-50.37	0	-50.37	-26.01	PASS
11N40MIMO	Ant1	2462	2551.826	-50.38	0	-50.38	-26.01	PASS
11N40MIMO	Ant1	2462	2552.826	-50.39	0	-50.39	-26.01	PASS
11N40MIMO	Ant1	2462	2553.826	-50.38	0	-50.38	-26.01	PASS
11N40MIMO	Ant1	2462	2554.652	-50.42	0	-50.42	-26.01	PASS
11N40MIMO	Ant1	2462	2554.826	-50.41	0	-50.41	-26.01	PASS
11N40MIMO	Ant2	2462	2484	-47.56	0	-47.56	-16.01	PASS
11N40MIMO	Ant2	2462	2485	-47.91	0	-47.91	-16.01	PASS
11N40MIMO	Ant2	2462	2486	-48.22	0	-48.22	-16.01	PASS
11N40MIMO	Ant2	2462	2487	-48.36	0	-48.36	-16.01	PASS
11N40MIMO	Ant2	2462	2488	-47.98	0	-47.98	-16.01	PASS
11N40MIMO	Ant2	2462	2489	-48.53	0	-48.53	-16.01	PASS
11N40MIMO	Ant2	2462	2490	-48.47	0	-48.47	-16.01	PASS
11N40MIMO	Ant2	2462	2491	-48.68	0	-48.68	-16.01	PASS
11N40MIMO	Ant2	2462	2492	-49.44	0	-49.44	-16.01	PASS
11N40MIMO	Ant2	2462	2493	-49.35	0	-49.35	-16.01	PASS
11N40MIMO	Ant2	2462	2494	-49.14	0	-49.14	-16.01	PASS
11N40MIMO	Ant2	2462	2495	-49.77	0	-49.77	-16.01	PASS
11N40MIMO	Ant2	2462	2496	-49.80	0	-49.80	-16.01	PASS
11N40MIMO	Ant2	2462	2497	-49.61	0	-49.61	-16.01	PASS
11N40MIMO	Ant2	2462	2498	-50.12	0	-50.12	-16.01	PASS
11N40MIMO	Ant2	2462	2499	-50.14	0	-50.14	-16.01	PASS
11N40MIMO	Ant2	2462	2500	-50.43	0	-50.43	-16.01	PASS
11N40MIMO	Ant2	2462	2501	-50.51	0	-50.51	-16.01	PASS
11N40MIMO	Ant2	2462	2502	-50.60	0	-50.60	-16.01	PASS
11N40MIMO	Ant2	2462	2503	-50.68	0	-50.68	-16.01	PASS
11N40MIMO	Ant2	2462	2504	-50.74	0	-50.74	-16.01	PASS
11N40MIMO	Ant2	2462	2505	-50.80	0	-50.80	-16.01	PASS
11N40MIMO	Ant2	2462	2506	-50.84	0	-50.84	-16.01	PASS
11N40MIMO	Ant2	2462	2507	-50.89	0	-50.89	-16.01	PASS
11N40MIMO	Ant2	2462	2508	-50.96	0	-50.96	-16.01	PASS
11N40MIMO	Ant2	2462	2509	-50.99	0	-50.99	-16.01	PASS
11N40MIMO	Ant2	2462	2510	-51.04	0	-51.04	-16.01	PASS

11N40MIMO	Ant2	2462	2511	-51.03	0	-51.03	-16.01	PASS
11N40MIMO	Ant2	2462	2512	-51.09	0	-51.09	-16.01	PASS
11N40MIMO	Ant2	2462	2513	-51.12	0	-51.12	-16.01	PASS
11N40MIMO	Ant2	2462	2514	-51.14	0	-51.14	-16.01	PASS
11N40MIMO	Ant2	2462	2515	-51.15	0	-51.15	-16.01	PASS
11N40MIMO	Ant2	2462	2516	-51.18	0	-51.18	-16.01	PASS
11N40MIMO	Ant2	2462	2517	-51.19	0	-51.19	-16.01	PASS
11N40MIMO	Ant2	2462	2518	-51.21	0	-51.21	-16.01	PASS
11N40MIMO	Ant2	2462	2518.827	-51.21	0	-51.21	-16.01	PASS
11N40MIMO	Ant2	2462	2519	-51.21	0	-51.21	-16.01	PASS
11N40MIMO	Ant2	2462	2519.827	-51.22	0	-51.22	-26.01	PASS
11N40MIMO	Ant2	2462	2520.827	-51.21	0	-51.21	-26.01	PASS
11N40MIMO	Ant2	2462	2521.827	-51.25	0	-51.25	-26.01	PASS
11N40MIMO	Ant2	2462	2522.827	-51.25	0	-51.25	-26.01	PASS
11N40MIMO	Ant2	2462	2523.827	-51.26	0	-51.26	-26.01	PASS
11N40MIMO	Ant2	2462	2524.827	-51.26	0	-51.26	-26.01	PASS
11N40MIMO	Ant2	2462	2525.827	-51.26	0	-51.26	-26.01	PASS
11N40MIMO	Ant2	2462	2526.827	-51.30	0	-51.30	-26.01	PASS
11N40MIMO	Ant2	2462	2527.827	-51.30	0	-51.30	-26.01	PASS
11N40MIMO	Ant2	2462	2528.827	-51.30	0	-51.30	-26.01	PASS
11N40MIMO	Ant2	2462	2529.827	-51.32	0	-51.32	-26.01	PASS
11N40MIMO	Ant2	2462	2530.827	-51.31	0	-51.31	-26.01	PASS
11N40MIMO	Ant2	2462	2531.827	-51.33	0	-51.33	-26.01	PASS
11N40MIMO	Ant2	2462	2532.827	-51.35	0	-51.35	-26.01	PASS
11N40MIMO	Ant2	2462	2533.827	-51.34	0	-51.34	-26.01	PASS
11N40MIMO	Ant2	2462	2534.827	-51.37	0	-51.37	-26.01	PASS
11N40MIMO	Ant2	2462	2535.827	-51.36	0	-51.36	-26.01	PASS
11N40MIMO	Ant2	2462	2536.827	-51.34	0	-51.34	-26.01	PASS
11N40MIMO	Ant2	2462	2537.827	-51.37	0	-51.37	-26.01	PASS
11N40MIMO	Ant2	2462	2538.827	-51.38	0	-51.38	-26.01	PASS
11N40MIMO	Ant2	2462	2539.827	-51.37	0	-51.37	-26.01	PASS
11N40MIMO	Ant2	2462	2540.827	-51.37	0	-51.37	-26.01	PASS
11N40MIMO	Ant2	2462	2541.827	-51.41	0	-51.41	-26.01	PASS
11N40MIMO	Ant2	2462	2542.827	-51.41	0	-51.41	-26.01	PASS
11N40MIMO	Ant2	2462	2543.827	-51.40	0	-51.40	-26.01	PASS
11N40MIMO	Ant2	2462	2544.827	-51.41	0	-51.41	-26.01	PASS
11N40MIMO	Ant2	2462	2545.827	-51.43	0	-51.43	-26.01	PASS
11N40MIMO	Ant2	2462	2546.827	-51.44	0	-51.44	-26.01	PASS
11N40MIMO	Ant2	2462	2547.827	-51.44	0	-51.44	-26.01	PASS
11N40MIMO	Ant2	2462	2548.827	-51.45	0	-51.45	-26.01	PASS

11N40MIMO	Ant2	2462	2549.827	-51.46	0	-51.46	-26.01	PASS
11N40MIMO	Ant2	2462	2550.827	-51.46	0	-51.46	-26.01	PASS
11N40MIMO	Ant2	2462	2551.827	-51.46	0	-51.46	-26.01	PASS
11N40MIMO	Ant2	2462	2552.827	-51.49	0	-51.49	-26.01	PASS
11N40MIMO	Ant2	2462	2553.827	-51.49	0	-51.49	-26.01	PASS
11N40MIMO	Ant2	2462	2554.654	-51.49	0	-51.49	-26.01	PASS
11N40MIMO	Ant2	2462	2554.827	-51.48	0	-51.48	-26.01	PASS
11AX20MIMO	Ant1	2412	2362.791	-51.46	0	-51.46	-26.01	PASS
11AX20MIMO	Ant1	2412	2363.082	-51.46	0	-51.46	-26.01	PASS
11AX20MIMO	Ant1	2412	2363.791	-51.47	0	-51.47	-26.01	PASS
11AX20MIMO	Ant1	2412	2364.791	-51.46	0	-51.46	-26.01	PASS
11AX20MIMO	Ant1	2412	2365.791	-51.45	0	-51.45	-26.01	PASS
11AX20MIMO	Ant1	2412	2366.791	-51.43	0	-51.43	-26.01	PASS
11AX20MIMO	Ant1	2412	2367.791	-51.43	0	-51.43	-26.01	PASS
11AX20MIMO	Ant1	2412	2368.791	-51.39	0	-51.39	-26.01	PASS
11AX20MIMO	Ant1	2412	2369.791	-51.40	0	-51.40	-26.01	PASS
11AX20MIMO	Ant1	2412	2370.791	-51.37	0	-51.37	-26.01	PASS
11AX20MIMO	Ant1	2412	2371.791	-51.38	0	-51.38	-26.01	PASS
11AX20MIMO	Ant1	2412	2372.791	-51.34	0	-51.34	-26.01	PASS
11AX20MIMO	Ant1	2412	2373.791	-51.34	0	-51.34	-26.01	PASS
11AX20MIMO	Ant1	2412	2374.791	-51.33	0	-51.33	-26.01	PASS
11AX20MIMO	Ant1	2412	2375.791	-51.28	0	-51.28	-26.01	PASS
11AX20MIMO	Ant1	2412	2376.791	-51.25	0	-51.25	-26.01	PASS
11AX20MIMO	Ant1	2412	2377.791	-51.25	0	-51.25	-26.01	PASS
11AX20MIMO	Ant1	2412	2378.791	-51.23	0	-51.23	-26.01	PASS
11AX20MIMO	Ant1	2412	2379.791	-51.17	0	-51.17	-26.01	PASS
11AX20MIMO	Ant1	2412	2380.791	-51.11	0	-51.11	-26.01	PASS
11AX20MIMO	Ant1	2412	2381.5	-51.08	0	-51.08	-16.01	PASS
11AX20MIMO	Ant1	2412	2381.791	-51.08	0	-51.08	-16.01	PASS
11AX20MIMO	Ant1	2412	2382.5	-51.02	0	-51.02	-16.01	PASS
11AX20MIMO	Ant1	2412	2383.5	-50.96	0	-50.96	-16.01	PASS
11AX20MIMO	Ant1	2412	2384.5	-50.84	0	-50.84	-16.01	PASS
11AX20MIMO	Ant1	2412	2385.5	-50.59	0	-50.59	-16.01	PASS
11AX20MIMO	Ant1	2412	2386.5	-50.24	0	-50.24	-16.01	PASS
11AX20MIMO	Ant1	2412	2387.5	-49.57	0	-49.57	-16.01	PASS
11AX20MIMO	Ant1	2412	2388.5	-48.90	0	-48.90	-16.01	PASS
11AX20MIMO	Ant1	2412	2389.5	-48.13	0	-48.13	-16.01	PASS
11AX20MIMO	Ant1	2412	2390.5	-47.19	0	-47.19	-16.01	PASS
11AX20MIMO	Ant1	2412	2391.5	-46.14	0	-46.14	-16.01	PASS
11AX20MIMO	Ant1	2412	2392.5	-45.06	0	-45.06	-16.01	PASS

11AX20MIMO	Ant1	2412	2393.5	-44.24	0	-44.24	-16.01	PASS
11AX20MIMO	Ant1	2412	2394.5	-42.95	0	-42.95	-16.01	PASS
11AX20MIMO	Ant1	2412	2395.5	-42.29	0	-42.29	-16.01	PASS
11AX20MIMO	Ant1	2412	2396.5	-41.96	0	-41.96	-16.01	PASS
11AX20MIMO	Ant1	2412	2397.5	-40.90	0	-40.90	-16.01	PASS
11AX20MIMO	Ant1	2412	2398.5	-40.13	0	-40.13	-16.01	PASS
11AX20MIMO	Ant1	2412	2399.5	-39.51	0	-39.51	-16.01	PASS
11AX20MIMO	Ant2	2412	2362.787	-51.80	0	-51.80	-26.01	PASS
11AX20MIMO	Ant2	2412	2363.074	-51.95	0	-51.95	-26.01	PASS
11AX20MIMO	Ant2	2412	2363.787	-51.71	0	-51.71	-26.01	PASS
11AX20MIMO	Ant2	2412	2364.787	-51.72	0	-51.72	-26.01	PASS
11AX20MIMO	Ant2	2412	2365.787	-51.74	0	-51.74	-26.01	PASS
11AX20MIMO	Ant2	2412	2366.787	-51.74	0	-51.74	-26.01	PASS
11AX20MIMO	Ant2	2412	2367.787	-51.69	0	-51.69	-26.01	PASS
11AX20MIMO	Ant2	2412	2368.787	-51.69	0	-51.69	-26.01	PASS
11AX20MIMO	Ant2	2412	2369.787	-51.66	0	-51.66	-26.01	PASS
11AX20MIMO	Ant2	2412	2370.787	-51.67	0	-51.67	-26.01	PASS
11AX20MIMO	Ant2	2412	2371.787	-51.65	0	-51.65	-26.01	PASS
11AX20MIMO	Ant2	2412	2372.787	-51.66	0	-51.66	-26.01	PASS
11AX20MIMO	Ant2	2412	2373.787	-51.62	0	-51.62	-26.01	PASS
11AX20MIMO	Ant2	2412	2374.787	-51.62	0	-51.62	-26.01	PASS
11AX20MIMO	Ant2	2412	2375.787	-51.62	0	-51.62	-26.01	PASS
11AX20MIMO	Ant2	2412	2376.787	-51.60	0	-51.60	-26.01	PASS
11AX20MIMO	Ant2	2412	2377.787	-51.58	0	-51.58	-26.01	PASS
11AX20MIMO	Ant2	2412	2378.787	-51.53	0	-51.53	-26.01	PASS
11AX20MIMO	Ant2	2412	2379.787	-51.54	0	-51.54	-26.01	PASS
11AX20MIMO	Ant2	2412	2380.787	-51.51	0	-51.51	-26.01	PASS
11AX20MIMO	Ant2	2412	2381.5	-51.47	0	-51.47	-16.01	PASS
11AX20MIMO	Ant2	2412	2381.787	-51.50	0	-51.50	-16.01	PASS
11AX20MIMO	Ant2	2412	2382.5	-51.47	0	-51.47	-16.01	PASS
11AX20MIMO	Ant2	2412	2383.5	-51.41	0	-51.41	-16.01	PASS
11AX20MIMO	Ant2	2412	2384.5	-51.37	0	-51.37	-16.01	PASS
11AX20MIMO	Ant2	2412	2385.5	-51.26	0	-51.26	-16.01	PASS
11AX20MIMO	Ant2	2412	2386.5	-51.09	0	-51.09	-16.01	PASS
11AX20MIMO	Ant2	2412	2387.5	-50.78	0	-50.78	-16.01	PASS
11AX20MIMO	Ant2	2412	2388.5	-50.43	0	-50.43	-16.01	PASS
11AX20MIMO	Ant2	2412	2389.5	-49.93	0	-49.93	-16.01	PASS
11AX20MIMO	Ant2	2412	2390.5	-49.56	0	-49.56	-16.01	PASS
11AX20MIMO	Ant2	2412	2391.5	-48.92	0	-48.92	-16.01	PASS
11AX20MIMO	Ant2	2412	2392.5	-48.09	0	-48.09	-16.01	PASS



11AX20MIMO	Ant2	2412	2393.5	-47.05	0	-47.05	-16.01	PASS
11AX20MIMO	Ant2	2412	2394.5	-46.50	0	-46.50	-16.01	PASS
11AX20MIMO	Ant2	2412	2395.5	-45.52	0	-45.52	-16.01	PASS
11AX20MIMO	Ant2	2412	2396.5	-45.34	0	-45.34	-16.01	PASS
11AX20MIMO	Ant2	2412	2397.5	-44.63	0	-44.63	-16.01	PASS
11AX20MIMO	Ant2	2412	2398.5	-44.15	0	-44.15	-16.01	PASS
11AX20MIMO	Ant2	2412	2399.5	-43.31	0	-43.31	-16.01	PASS
11AX20MIMO	Ant1	2472	2484	-43.32	0	-43.32	-16.01	PASS
11AX20MIMO	Ant1	2472	2485	-44.49	0	-44.49	-16.01	PASS
11AX20MIMO	Ant1	2472	2486	-44.44	0	-44.44	-16.01	PASS
11AX20MIMO	Ant1	2472	2487	-44.91	0	-44.91	-16.01	PASS
11AX20MIMO	Ant1	2472	2488	-45.64	0	-45.64	-16.01	PASS
11AX20MIMO	Ant1	2472	2489	-46.10	0	-46.10	-16.01	PASS
11AX20MIMO	Ant1	2472	2490	-46.92	0	-46.92	-16.01	PASS
11AX20MIMO	Ant1	2472	2491	-47.12	0	-47.12	-16.01	PASS
11AX20MIMO	Ant1	2472	2492	-47.73	0	-47.73	-16.01	PASS
11AX20MIMO	Ant1	2472	2493	-48.22	0	-48.22	-16.01	PASS
11AX20MIMO	Ant1	2472	2494	-48.40	0	-48.40	-16.01	PASS
11AX20MIMO	Ant1	2472	2495	-48.79	0	-48.79	-16.01	PASS
11AX20MIMO	Ant1	2472	2496	-49.16	0	-49.16	-16.01	PASS
11AX20MIMO	Ant1	2472	2497	-49.39	0	-49.39	-16.01	PASS
11AX20MIMO	Ant1	2472	2498	-49.57	0	-49.57	-16.01	PASS
11AX20MIMO	Ant1	2472	2499	-49.77	0	-49.77	-16.01	PASS
11AX20MIMO	Ant1	2472	2500	-49.86	0	-49.86	-16.01	PASS
11AX20MIMO	Ant1	2472	2501	-49.77	0	-49.77	-16.01	PASS
11AX20MIMO	Ant1	2472	2501.709	-49.80	0	-49.80	-16.01	PASS
11AX20MIMO	Ant1	2472	2502	-49.86	0	-49.86	-16.01	PASS
11AX20MIMO	Ant1	2472	2502.709	-49.91	0	-49.91	-26.01	PASS
11AX20MIMO	Ant1	2472	2503.709	-49.94	0	-49.94	-26.01	PASS
11AX20MIMO	Ant1	2472	2504.709	-50.00	0	-50.00	-26.01	PASS
11AX20MIMO	Ant1	2472	2505.709	-50.03	0	-50.03	-26.01	PASS
11AX20MIMO	Ant1	2472	2506.709	-50.10	0	-50.10	-26.01	PASS
11AX20MIMO	Ant1	2472	2507.709	-50.11	0	-50.11	-26.01	PASS
11AX20MIMO	Ant1	2472	2508.709	-50.15	0	-50.15	-26.01	PASS
11AX20MIMO	Ant1	2472	2509.709	-50.17	0	-50.17	-26.01	PASS
11AX20MIMO	Ant1	2472	2510.709	-50.22	0	-50.22	-26.01	PASS
11AX20MIMO	Ant1	2472	2511.709	-50.21	0	-50.21	-26.01	PASS
11AX20MIMO	Ant1	2472	2512.709	-50.21	0	-50.21	-26.01	PASS
11AX20MIMO	Ant1	2472	2513.709	-50.24	0	-50.24	-26.01	PASS
11AX20MIMO	Ant1	2472	2514.709	-50.26	0	-50.26	-26.01	PASS

11AX20MIMO	Ant1	2472	2515.709	-50.29	0	-50.29	-26.01	PASS
11AX20MIMO	Ant1	2472	2516.709	-50.28	0	-50.28	-26.01	PASS
11AX20MIMO	Ant1	2472	2517.709	-50.31	0	-50.31	-26.01	PASS
11AX20MIMO	Ant1	2472	2518.709	-50.31	0	-50.31	-26.01	PASS
11AX20MIMO	Ant1	2472	2519.709	-50.30	0	-50.30	-26.01	PASS
11AX20MIMO	Ant1	2472	2520.418	-50.30	0	-50.30	-26.01	PASS
11AX20MIMO	Ant1	2472	2520.709	-50.32	0	-50.32	-26.01	PASS
11AX20MIMO	Ant2	2472	2484	-46.57	0	-46.57	-16.01	PASS
11AX20MIMO	Ant2	2472	2485	-47.67	0	-47.67	-16.01	PASS
11AX20MIMO	Ant2	2472	2486	-47.60	0	-47.60	-16.01	PASS
11AX20MIMO	Ant2	2472	2487	-47.94	0	-47.94	-16.01	PASS
11AX20MIMO	Ant2	2472	2488	-48.68	0	-48.68	-16.01	PASS
11AX20MIMO	Ant2	2472	2489	-49.01	0	-49.01	-16.01	PASS
11AX20MIMO	Ant2	2472	2490	-49.63	0	-49.63	-16.01	PASS
11AX20MIMO	Ant2	2472	2491	-49.82	0	-49.82	-16.01	PASS
11AX20MIMO	Ant2	2472	2492	-50.29	0	-50.29	-16.01	PASS
11AX20MIMO	Ant2	2472	2493	-50.51	0	-50.51	-16.01	PASS
11AX20MIMO	Ant2	2472	2494	-50.66	0	-50.66	-16.01	PASS
11AX20MIMO	Ant2	2472	2495	-50.81	0	-50.81	-16.01	PASS
11AX20MIMO	Ant2	2472	2496	-50.96	0	-50.96	-16.01	PASS
11AX20MIMO	Ant2	2472	2497	-51.05	0	-51.05	-16.01	PASS
11AX20MIMO	Ant2	2472	2498	-51.10	0	-51.10	-16.01	PASS
11AX20MIMO	Ant2	2472	2499	-51.20	0	-51.20	-16.01	PASS
11AX20MIMO	Ant2	2472	2500	-51.22	0	-51.22	-16.01	PASS
11AX20MIMO	Ant2	2472	2501	-51.00	0	-51.00	-16.01	PASS
11AX20MIMO	Ant2	2472	2501.701	-51.06	0	-51.06	-16.01	PASS
11AX20MIMO	Ant2	2472	2502	-51.06	0	-51.06	-16.01	PASS
11AX20MIMO	Ant2	2472	2502.701	-51.08	0	-51.08	-26.01	PASS
11AX20MIMO	Ant2	2472	2503.701	-51.10	0	-51.10	-26.01	PASS
11AX20MIMO	Ant2	2472	2504.701	-51.13	0	-51.13	-26.01	PASS
11AX20MIMO	Ant2	2472	2505.701	-51.16	0	-51.16	-26.01	PASS
11AX20MIMO	Ant2	2472	2506.701	-51.16	0	-51.16	-26.01	PASS
11AX20MIMO	Ant2	2472	2507.701	-51.20	0	-51.20	-26.01	PASS
11AX20MIMO	Ant2	2472	2508.701	-51.20	0	-51.20	-26.01	PASS
11AX20MIMO	Ant2	2472	2509.701	-51.23	0	-51.23	-26.01	PASS
11AX20MIMO	Ant2	2472	2510.701	-51.25	0	-51.25	-26.01	PASS
11AX20MIMO	Ant2	2472	2511.701	-51.24	0	-51.24	-26.01	PASS
11AX20MIMO	Ant2	2472	2512.701	-51.29	0	-51.29	-26.01	PASS
11AX20MIMO	Ant2	2472	2513.701	-51.28	0	-51.28	-26.01	PASS
11AX20MIMO	Ant2	2472	2514.701	-51.32	0	-51.32	-26.01	PASS

11AX20MIMO	Ant2	2472	2515.701	-51.30	0	-51.30	-26.01	PASS
11AX20MIMO	Ant2	2472	2516.701	-51.33	0	-51.33	-26.01	PASS
11AX20MIMO	Ant2	2472	2517.701	-51.32	0	-51.32	-26.01	PASS
11AX20MIMO	Ant2	2472	2518.701	-51.31	0	-51.31	-26.01	PASS
11AX20MIMO	Ant2	2472	2519.701	-51.35	0	-51.35	-26.01	PASS
11AX20MIMO	Ant2	2472	2520.402	-51.34	0	-51.34	-26.01	PASS
11AX20MIMO	Ant2	2472	2520.701	-51.35	0	-51.35	-26.01	PASS
11AX40MIMO	Ant1	2422	2325.914	-51.54	0	-51.54	-26.01	PASS
11AX40MIMO	Ant1	2422	2326.207	-51.53	0	-51.53	-26.01	PASS
11AX40MIMO	Ant1	2422	2327.207	-51.52	0	-51.52	-26.01	PASS
11AX40MIMO	Ant1	2422	2328.207	-51.53	0	-51.53	-26.01	PASS
11AX40MIMO	Ant1	2422	2329.207	-51.50	0	-51.50	-26.01	PASS
11AX40MIMO	Ant1	2422	2330.207	-51.70	0	-51.70	-26.01	PASS
11AX40MIMO	Ant1	2422	2331.207	-51.67	0	-51.67	-26.01	PASS
11AX40MIMO	Ant1	2422	2332.207	-51.68	0	-51.68	-26.01	PASS
11AX40MIMO	Ant1	2422	2333.207	-51.64	0	-51.64	-26.01	PASS
11AX40MIMO	Ant1	2422	2334.207	-51.65	0	-51.65	-26.01	PASS
11AX40MIMO	Ant1	2422	2335.207	-51.63	0	-51.63	-26.01	PASS
11AX40MIMO	Ant1	2422	2336.207	-51.64	0	-51.64	-26.01	PASS
11AX40MIMO	Ant1	2422	2337.207	-51.62	0	-51.62	-26.01	PASS
11AX40MIMO	Ant1	2422	2338.207	-51.62	0	-51.62	-26.01	PASS
11AX40MIMO	Ant1	2422	2339.207	-51.58	0	-51.58	-26.01	PASS
11AX40MIMO	Ant1	2422	2340.207	-51.57	0	-51.57	-26.01	PASS
11AX40MIMO	Ant1	2422	2341.207	-51.56	0	-51.56	-26.01	PASS
11AX40MIMO	Ant1	2422	2342.207	-51.58	0	-51.58	-26.01	PASS
11AX40MIMO	Ant1	2422	2343.207	-51.58	0	-51.58	-26.01	PASS
11AX40MIMO	Ant1	2422	2344.207	-51.54	0	-51.54	-26.01	PASS
11AX40MIMO	Ant1	2422	2345.207	-51.51	0	-51.51	-26.01	PASS
11AX40MIMO	Ant1	2422	2346.207	-51.53	0	-51.53	-26.01	PASS
11AX40MIMO	Ant1	2422	2347.207	-51.53	0	-51.53	-26.01	PASS
11AX40MIMO	Ant1	2422	2348.207	-51.50	0	-51.50	-26.01	PASS
11AX40MIMO	Ant1	2422	2349.207	-51.48	0	-51.48	-26.01	PASS
11AX40MIMO	Ant1	2422	2350.207	-51.48	0	-51.48	-26.01	PASS
11AX40MIMO	Ant1	2422	2351.207	-51.48	0	-51.48	-26.01	PASS
11AX40MIMO	Ant1	2422	2352.207	-51.44	0	-51.44	-26.01	PASS
11AX40MIMO	Ant1	2422	2353.207	-51.44	0	-51.44	-26.01	PASS
11AX40MIMO	Ant1	2422	2354.207	-51.44	0	-51.44	-26.01	PASS
11AX40MIMO	Ant1	2422	2355.207	-51.44	0	-51.44	-26.01	PASS
11AX40MIMO	Ant1	2422	2356.207	-51.40	0	-51.40	-26.01	PASS
11AX40MIMO	Ant1	2422	2357.207	-51.39	0	-51.39	-26.01	PASS



11AX40MIMO	Ant1	2422	2358.207	-51.39	0	-51.39	-26.01	PASS
11AX40MIMO	Ant1	2422	2359.207	-51.36	0	-51.36	-26.01	PASS
11AX40MIMO	Ant1	2422	2360.207	-51.32	0	-51.32	-26.01	PASS
11AX40MIMO	Ant1	2422	2361.207	-51.35	0	-51.35	-26.01	PASS
11AX40MIMO	Ant1	2422	2362.207	-51.36	0	-51.36	-26.01	PASS
11AX40MIMO	Ant1	2422	2363.207	-51.30	0	-51.30	-16.01	PASS
11AX40MIMO	Ant1	2422	2363.5	-51.30	0	-51.30	-16.01	PASS
11AX40MIMO	Ant1	2422	2364.5	-51.30	0	-51.30	-16.01	PASS
11AX40MIMO	Ant1	2422	2365.5	-51.23	0	-51.23	-16.01	PASS
11AX40MIMO	Ant1	2422	2366.5	-51.23	0	-51.23	-16.01	PASS
11AX40MIMO	Ant1	2422	2367.5	-51.20	0	-51.20	-16.01	PASS
11AX40MIMO	Ant1	2422	2368.5	-51.16	0	-51.16	-16.01	PASS
11AX40MIMO	Ant1	2422	2369.5	-51.12	0	-51.12	-16.01	PASS
11AX40MIMO	Ant1	2422	2370.5	-51.05	0	-51.05	-16.01	PASS
11AX40MIMO	Ant1	2422	2371.5	-50.97	0	-50.97	-16.01	PASS
11AX40MIMO	Ant1	2422	2372.5	-50.81	0	-50.81	-16.01	PASS
11AX40MIMO	Ant1	2422	2373.5	-50.75	0	-50.75	-16.01	PASS
11AX40MIMO	Ant1	2422	2374.5	-50.64	0	-50.64	-16.01	PASS
11AX40MIMO	Ant1	2422	2375.5	-50.41	0	-50.41	-16.01	PASS
11AX40MIMO	Ant1	2422	2376.5	-50.26	0	-50.26	-16.01	PASS
11AX40MIMO	Ant1	2422	2377.5	-50.10	0	-50.10	-16.01	PASS
11AX40MIMO	Ant1	2422	2378.5	-49.83	0	-49.83	-16.01	PASS
11AX40MIMO	Ant1	2422	2379.5	-49.60	0	-49.60	-16.01	PASS
11AX40MIMO	Ant1	2422	2380.5	-49.15	0	-49.15	-16.01	PASS
11AX40MIMO	Ant1	2422	2381.5	-49.13	0	-49.13	-16.01	PASS
11AX40MIMO	Ant1	2422	2382.5	-48.77	0	-48.77	-16.01	PASS
11AX40MIMO	Ant1	2422	2383.5	-47.97	0	-47.97	-16.01	PASS
11AX40MIMO	Ant1	2422	2384.5	-46.86	0	-46.86	-16.01	PASS
11AX40MIMO	Ant1	2422	2385.5	-46.59	0	-46.59	-16.01	PASS
11AX40MIMO	Ant1	2422	2386.5	-46.16	0	-46.16	-16.01	PASS
11AX40MIMO	Ant1	2422	2387.5	-46.07	0	-46.07	-16.01	PASS
11AX40MIMO	Ant1	2422	2388.5	-45.68	0	-45.68	-16.01	PASS
11AX40MIMO	Ant1	2422	2389.5	-45.04	0	-45.04	-16.01	PASS
11AX40MIMO	Ant1	2422	2390.5	-44.90	0	-44.90	-16.01	PASS
11AX40MIMO	Ant1	2422	2391.5	-45.30	0	-45.30	-16.01	PASS
11AX40MIMO	Ant1	2422	2392.5	-44.56	0	-44.56	-16.01	PASS
11AX40MIMO	Ant1	2422	2393.5	-43.83	0	-43.83	-16.01	PASS
11AX40MIMO	Ant1	2422	2394.5	-43.63	0	-43.63	-16.01	PASS
11AX40MIMO	Ant1	2422	2395.5	-43.09	0	-43.09	-16.01	PASS
11AX40MIMO	Ant1	2422	2396.5	-42.75	0	-42.75	-16.01	PASS

11AX40MIMO	Ant1	2422	2397.5	-42.45	0	-42.45	-16.01	PASS
11AX40MIMO	Ant1	2422	2398.5	-42.02	0	-42.02	-16.01	PASS
11AX40MIMO	Ant1	2422	2399.5	-41.87	0	-41.87	-16.01	PASS
11AX40MIMO	Ant2	2422	2325.894	-51.70	0	-51.70	-26.01	PASS
11AX40MIMO	Ant2	2422	2326.197	-51.69	0	-51.69	-26.01	PASS
11AX40MIMO	Ant2	2422	2327.197	-51.70	0	-51.70	-26.01	PASS
11AX40MIMO	Ant2	2422	2328.197	-51.66	0	-51.66	-26.01	PASS
11AX40MIMO	Ant2	2422	2329.197	-51.69	0	-51.69	-26.01	PASS
11AX40MIMO	Ant2	2422	2330.197	-51.83	0	-51.83	-26.01	PASS
11AX40MIMO	Ant2	2422	2331.197	-51.84	0	-51.84	-26.01	PASS
11AX40MIMO	Ant2	2422	2332.197	-51.82	0	-51.82	-26.01	PASS
11AX40MIMO	Ant2	2422	2333.197	-51.80	0	-51.80	-26.01	PASS
11AX40MIMO	Ant2	2422	2334.197	-51.79	0	-51.79	-26.01	PASS
11AX40MIMO	Ant2	2422	2335.197	-51.78	0	-51.78	-26.01	PASS
11AX40MIMO	Ant2	2422	2336.197	-51.80	0	-51.80	-26.01	PASS
11AX40MIMO	Ant2	2422	2337.197	-51.78	0	-51.78	-26.01	PASS
11AX40MIMO	Ant2	2422	2338.197	-51.78	0	-51.78	-26.01	PASS
11AX40MIMO	Ant2	2422	2339.197	-51.77	0	-51.77	-26.01	PASS
11AX40MIMO	Ant2	2422	2340.197	-51.77	0	-51.77	-26.01	PASS
11AX40MIMO	Ant2	2422	2341.197	-51.75	0	-51.75	-26.01	PASS
11AX40MIMO	Ant2	2422	2342.197	-51.76	0	-51.76	-26.01	PASS
11AX40MIMO	Ant2	2422	2343.197	-51.75	0	-51.75	-26.01	PASS
11AX40MIMO	Ant2	2422	2344.197	-51.74	0	-51.74	-26.01	PASS
11AX40MIMO	Ant2	2422	2345.197	-51.74	0	-51.74	-26.01	PASS
11AX40MIMO	Ant2	2422	2346.197	-51.72	0	-51.72	-26.01	PASS
11AX40MIMO	Ant2	2422	2347.197	-51.74	0	-51.74	-26.01	PASS
11AX40MIMO	Ant2	2422	2348.197	-51.72	0	-51.72	-26.01	PASS
11AX40MIMO	Ant2	2422	2349.197	-51.70	0	-51.70	-26.01	PASS
11AX40MIMO	Ant2	2422	2350.197	-51.69	0	-51.69	-26.01	PASS
11AX40MIMO	Ant2	2422	2351.197	-51.69	0	-51.69	-26.01	PASS
11AX40MIMO	Ant2	2422	2352.197	-51.72	0	-51.72	-26.01	PASS
11AX40MIMO	Ant2	2422	2353.197	-51.69	0	-51.69	-26.01	PASS
11AX40MIMO	Ant2	2422	2354.197	-51.65	0	-51.65	-26.01	PASS
11AX40MIMO	Ant2	2422	2355.197	-51.67	0	-51.67	-26.01	PASS
11AX40MIMO	Ant2	2422	2356.197	-51.70	0	-51.70	-26.01	PASS
11AX40MIMO	Ant2	2422	2357.197	-51.62	0	-51.62	-26.01	PASS
11AX40MIMO	Ant2	2422	2358.197	-51.66	0	-51.66	-26.01	PASS
11AX40MIMO	Ant2	2422	2359.197	-51.66	0	-51.66	-26.01	PASS
11AX40MIMO	Ant2	2422	2360.197	-51.63	0	-51.63	-26.01	PASS
11AX40MIMO	Ant2	2422	2361.197	-51.63	0	-51.63	-26.01	PASS

11AX40MIMO	Ant2	2422	2362.197	-51.63	0	-51.63	-26.01	PASS
11AX40MIMO	Ant2	2422	2363.197	-51.62	0	-51.62	-16.01	PASS
11AX40MIMO	Ant2	2422	2363.5	-51.60	0	-51.60	-16.01	PASS
11AX40MIMO	Ant2	2422	2364.5	-51.60	0	-51.60	-16.01	PASS
11AX40MIMO	Ant2	2422	2365.5	-51.60	0	-51.60	-16.01	PASS
11AX40MIMO	Ant2	2422	2366.5	-51.57	0	-51.57	-16.01	PASS
11AX40MIMO	Ant2	2422	2367.5	-51.56	0	-51.56	-16.01	PASS
11AX40MIMO	Ant2	2422	2368.5	-51.58	0	-51.58	-16.01	PASS
11AX40MIMO	Ant2	2422	2369.5	-51.53	0	-51.53	-16.01	PASS
11AX40MIMO	Ant2	2422	2370.5	-51.50	0	-51.50	-16.01	PASS
11AX40MIMO	Ant2	2422	2371.5	-51.46	0	-51.46	-16.01	PASS
11AX40MIMO	Ant2	2422	2372.5	-51.42	0	-51.42	-16.01	PASS
11AX40MIMO	Ant2	2422	2373.5	-51.39	0	-51.39	-16.01	PASS
11AX40MIMO	Ant2	2422	2374.5	-51.34	0	-51.34	-16.01	PASS
11AX40MIMO	Ant2	2422	2375.5	-51.24	0	-51.24	-16.01	PASS
11AX40MIMO	Ant2	2422	2376.5	-51.17	0	-51.17	-16.01	PASS
11AX40MIMO	Ant2	2422	2377.5	-51.07	0	-51.07	-16.01	PASS
11AX40MIMO	Ant2	2422	2378.5	-50.96	0	-50.96	-16.01	PASS
11AX40MIMO	Ant2	2422	2379.5	-50.79	0	-50.79	-16.01	PASS
11AX40MIMO	Ant2	2422	2380.5	-50.61	0	-50.61	-16.01	PASS
11AX40MIMO	Ant2	2422	2381.5	-50.53	0	-50.53	-16.01	PASS
11AX40MIMO	Ant2	2422	2382.5	-50.37	0	-50.37	-16.01	PASS
11AX40MIMO	Ant2	2422	2383.5	-49.86	0	-49.86	-16.01	PASS
11AX40MIMO	Ant2	2422	2384.5	-48.99	0	-48.99	-16.01	PASS
11AX40MIMO	Ant2	2422	2385.5	-48.93	0	-48.93	-16.01	PASS
11AX40MIMO	Ant2	2422	2386.5	-49.05	0	-49.05	-16.01	PASS
11AX40MIMO	Ant2	2422	2387.5	-48.89	0	-48.89	-16.01	PASS
11AX40MIMO	Ant2	2422	2388.5	-47.91	0	-47.91	-16.01	PASS
11AX40MIMO	Ant2	2422	2389.5	-47.95	0	-47.95	-16.01	PASS
11AX40MIMO	Ant2	2422	2390.5	-47.74	0	-47.74	-16.01	PASS
11AX40MIMO	Ant2	2422	2391.5	-47.93	0	-47.93	-16.01	PASS
11AX40MIMO	Ant2	2422	2392.5	-47.46	0	-47.46	-16.01	PASS
11AX40MIMO	Ant2	2422	2393.5	-46.72	0	-46.72	-16.01	PASS
11AX40MIMO	Ant2	2422	2394.5	-46.73	0	-46.73	-16.01	PASS
11AX40MIMO	Ant2	2422	2395.5	-45.72	0	-45.72	-16.01	PASS
11AX40MIMO	Ant2	2422	2396.5	-46.20	0	-46.20	-16.01	PASS
11AX40MIMO	Ant2	2422	2397.5	-45.90	0	-45.90	-16.01	PASS
11AX40MIMO	Ant2	2422	2398.5	-44.69	0	-44.69	-16.01	PASS
11AX40MIMO	Ant2	2422	2399.5	-43.96	0	-43.96	-16.01	PASS
11AX40MIMO	Ant1	2462	2484	-43.85	0	-43.85	-16.01	PASS

11AX40MIMO	Ant1	2462	2485	-44.14	0	-44.14	-16.01	PASS
11AX40MIMO	Ant1	2462	2486	-44.25	0	-44.25	-16.01	PASS
11AX40MIMO	Ant1	2462	2487	-43.97	0	-43.97	-16.01	PASS
11AX40MIMO	Ant1	2462	2488	-45.12	0	-45.12	-16.01	PASS
11AX40MIMO	Ant1	2462	2489	-45.65	0	-45.65	-16.01	PASS
11AX40MIMO	Ant1	2462	2490	-45.71	0	-45.71	-16.01	PASS
11AX40MIMO	Ant1	2462	2491	-45.89	0	-45.89	-16.01	PASS
11AX40MIMO	Ant1	2462	2492	-46.57	0	-46.57	-16.01	PASS
11AX40MIMO	Ant1	2462	2493	-46.31	0	-46.31	-16.01	PASS
11AX40MIMO	Ant1	2462	2494	-46.87	0	-46.87	-16.01	PASS
11AX40MIMO	Ant1	2462	2495	-47.07	0	-47.07	-16.01	PASS
11AX40MIMO	Ant1	2462	2496	-47.18	0	-47.18	-16.01	PASS
11AX40MIMO	Ant1	2462	2497	-47.66	0	-47.66	-16.01	PASS
11AX40MIMO	Ant1	2462	2498	-47.72	0	-47.72	-16.01	PASS
11AX40MIMO	Ant1	2462	2499	-48.18	0	-48.18	-16.01	PASS
11AX40MIMO	Ant1	2462	2500	-48.30	0	-48.30	-16.01	PASS
11AX40MIMO	Ant1	2462	2501	-48.43	0	-48.43	-16.01	PASS
11AX40MIMO	Ant1	2462	2502	-48.56	0	-48.56	-16.01	PASS
11AX40MIMO	Ant1	2462	2503	-48.70	0	-48.70	-16.01	PASS
11AX40MIMO	Ant1	2462	2504	-48.87	0	-48.87	-16.01	PASS
11AX40MIMO	Ant1	2462	2505	-49.09	0	-49.09	-16.01	PASS
11AX40MIMO	Ant1	2462	2506	-49.07	0	-49.07	-16.01	PASS
11AX40MIMO	Ant1	2462	2507	-49.30	0	-49.30	-16.01	PASS
11AX40MIMO	Ant1	2462	2508	-49.34	0	-49.34	-16.01	PASS
11AX40MIMO	Ant1	2462	2509	-49.37	0	-49.37	-16.01	PASS
11AX40MIMO	Ant1	2462	2510	-49.57	0	-49.57	-16.01	PASS
11AX40MIMO	Ant1	2462	2511	-49.59	0	-49.59	-16.01	PASS
11AX40MIMO	Ant1	2462	2512	-49.68	0	-49.68	-16.01	PASS
11AX40MIMO	Ant1	2462	2513	-49.77	0	-49.77	-16.01	PASS
11AX40MIMO	Ant1	2462	2514	-49.77	0	-49.77	-16.01	PASS
11AX40MIMO	Ant1	2462	2515	-49.88	0	-49.88	-16.01	PASS
11AX40MIMO	Ant1	2462	2516	-49.91	0	-49.91	-16.01	PASS
11AX40MIMO	Ant1	2462	2517	-49.94	0	-49.94	-16.01	PASS
11AX40MIMO	Ant1	2462	2518	-49.95	0	-49.95	-16.01	PASS
11AX40MIMO	Ant1	2462	2519	-50.01	0	-50.01	-16.01	PASS
11AX40MIMO	Ant1	2462	2520	-50.00	0	-50.00	-16.01	PASS
11AX40MIMO	Ant1	2462	2520.31	-50.00	0	-50.00	-16.01	PASS
11AX40MIMO	Ant1	2462	2521.31	-50.06	0	-50.06	-26.01	PASS
11AX40MIMO	Ant1	2462	2522.31	-50.09	0	-50.09	-26.01	PASS
11AX40MIMO	Ant1	2462	2523.31	-50.08	0	-50.08	-26.01	PASS



11AX40MIMO	Ant1	2462	2524.31	-50.11	0	-50.11	-26.01	PASS
11AX40MIMO	Ant1	2462	2525.31	-50.11	0	-50.11	-26.01	PASS
11AX40MIMO	Ant1	2462	2526.31	-50.12	0	-50.12	-26.01	PASS
11AX40MIMO	Ant1	2462	2527.31	-50.13	0	-50.13	-26.01	PASS
11AX40MIMO	Ant1	2462	2528.31	-50.13	0	-50.13	-26.01	PASS
11AX40MIMO	Ant1	2462	2529.31	-50.15	0	-50.15	-26.01	PASS
11AX40MIMO	Ant1	2462	2530.31	-50.21	0	-50.21	-26.01	PASS
11AX40MIMO	Ant1	2462	2531.31	-50.20	0	-50.20	-26.01	PASS
11AX40MIMO	Ant1	2462	2532.31	-50.19	0	-50.19	-26.01	PASS
11AX40MIMO	Ant1	2462	2533.31	-50.22	0	-50.22	-26.01	PASS
11AX40MIMO	Ant1	2462	2534.31	-50.25	0	-50.25	-26.01	PASS
11AX40MIMO	Ant1	2462	2535.31	-50.21	0	-50.21	-26.01	PASS
11AX40MIMO	Ant1	2462	2536.31	-50.23	0	-50.23	-26.01	PASS
11AX40MIMO	Ant1	2462	2537.31	-50.25	0	-50.25	-26.01	PASS
11AX40MIMO	Ant1	2462	2538.31	-50.25	0	-50.25	-26.01	PASS
11AX40MIMO	Ant1	2462	2539.31	-50.24	0	-50.24	-26.01	PASS
11AX40MIMO	Ant1	2462	2540.31	-50.23	0	-50.23	-26.01	PASS
11AX40MIMO	Ant1	2462	2541.31	-50.30	0	-50.30	-26.01	PASS
11AX40MIMO	Ant1	2462	2542.31	-50.29	0	-50.29	-26.01	PASS
11AX40MIMO	Ant1	2462	2543.31	-50.30	0	-50.30	-26.01	PASS
11AX40MIMO	Ant1	2462	2544.31	-49.89	0	-49.89	-26.01	PASS
11AX40MIMO	Ant1	2462	2545.31	-50.32	0	-50.32	-26.01	PASS
11AX40MIMO	Ant1	2462	2546.31	-50.34	0	-50.34	-26.01	PASS
11AX40MIMO	Ant1	2462	2547.31	-50.33	0	-50.33	-26.01	PASS
11AX40MIMO	Ant1	2462	2548.31	-50.32	0	-50.32	-26.01	PASS
11AX40MIMO	Ant1	2462	2549.31	-50.35	0	-50.35	-26.01	PASS
11AX40MIMO	Ant1	2462	2550.31	-50.38	0	-50.38	-26.01	PASS
11AX40MIMO	Ant1	2462	2551.31	-50.38	0	-50.38	-26.01	PASS
11AX40MIMO	Ant1	2462	2552.31	-50.35	0	-50.35	-26.01	PASS
11AX40MIMO	Ant1	2462	2553.31	-50.40	0	-50.40	-26.01	PASS
11AX40MIMO	Ant1	2462	2554.31	-50.41	0	-50.41	-26.01	PASS
11AX40MIMO	Ant1	2462	2555.31	-50.42	0	-50.42	-26.01	PASS
11AX40MIMO	Ant1	2462	2556.31	-50.40	0	-50.40	-26.01	PASS
11AX40MIMO	Ant1	2462	2557.31	-50.41	0	-50.41	-26.01	PASS
11AX40MIMO	Ant1	2462	2557.62	-50.44	0	-50.44	-26.01	PASS
11AX40MIMO	Ant2	2462	2484	-47.67	0	-47.67	-16.01	PASS
11AX40MIMO	Ant2	2462	2485	-47.98	0	-47.98	-16.01	PASS
11AX40MIMO	Ant2	2462	2486	-48.36	0	-48.36	-16.01	PASS
11AX40MIMO	Ant2	2462	2487	-48.52	0	-48.52	-16.01	PASS
11AX40MIMO	Ant2	2462	2488	-48.52	0	-48.52	-16.01	PASS

11AX40MIMO	Ant2	2462	2489	-48.82	0	-48.82	-16.01	PASS
11AX40MIMO	Ant2	2462	2490	-49.15	0	-49.15	-16.01	PASS
11AX40MIMO	Ant2	2462	2491	-49.28	0	-49.28	-16.01	PASS
11AX40MIMO	Ant2	2462	2492	-49.71	0	-49.71	-16.01	PASS
11AX40MIMO	Ant2	2462	2493	-49.59	0	-49.59	-16.01	PASS
11AX40MIMO	Ant2	2462	2494	-49.79	0	-49.79	-16.01	PASS
11AX40MIMO	Ant2	2462	2495	-50.02	0	-50.02	-16.01	PASS
11AX40MIMO	Ant2	2462	2496	-50.00	0	-50.00	-16.01	PASS
11AX40MIMO	Ant2	2462	2497	-50.27	0	-50.27	-16.01	PASS
11AX40MIMO	Ant2	2462	2498	-50.28	0	-50.28	-16.01	PASS
11AX40MIMO	Ant2	2462	2499	-50.47	0	-50.47	-16.01	PASS
11AX40MIMO	Ant2	2462	2500	-50.71	0	-50.71	-16.01	PASS
11AX40MIMO	Ant2	2462	2501	-50.54	0	-50.54	-16.01	PASS
11AX40MIMO	Ant2	2462	2502	-50.69	0	-50.69	-16.01	PASS
11AX40MIMO	Ant2	2462	2503	-50.75	0	-50.75	-16.01	PASS
11AX40MIMO	Ant2	2462	2504	-50.80	0	-50.80	-16.01	PASS
11AX40MIMO	Ant2	2462	2505	-50.87	0	-50.87	-16.01	PASS
11AX40MIMO	Ant2	2462	2506	-50.88	0	-50.88	-16.01	PASS
11AX40MIMO	Ant2	2462	2507	-50.94	0	-50.94	-16.01	PASS
11AX40MIMO	Ant2	2462	2508	-50.98	0	-50.98	-16.01	PASS
11AX40MIMO	Ant2	2462	2509	-51.03	0	-51.03	-16.01	PASS
11AX40MIMO	Ant2	2462	2510	-51.07	0	-51.07	-16.01	PASS
11AX40MIMO	Ant2	2462	2511	-51.07	0	-51.07	-16.01	PASS
11AX40MIMO	Ant2	2462	2512	-51.10	0	-51.10	-16.01	PASS
11AX40MIMO	Ant2	2462	2513	-51.14	0	-51.14	-16.01	PASS
11AX40MIMO	Ant2	2462	2514	-51.15	0	-51.15	-16.01	PASS
11AX40MIMO	Ant2	2462	2515	-51.17	0	-51.17	-16.01	PASS
11AX40MIMO	Ant2	2462	2516	-51.18	0	-51.18	-16.01	PASS
11AX40MIMO	Ant2	2462	2517	-51.20	0	-51.20	-16.01	PASS
11AX40MIMO	Ant2	2462	2518	-51.21	0	-51.21	-16.01	PASS
11AX40MIMO	Ant2	2462	2519	-51.22	0	-51.22	-16.01	PASS
11AX40MIMO	Ant2	2462	2520	-51.26	0	-51.26	-16.01	PASS
11AX40MIMO	Ant2	2462	2520.311	-51.24	0	-51.24	-16.01	PASS
11AX40MIMO	Ant2	2462	2521.311	-51.27	0	-51.27	-26.01	PASS
11AX40MIMO	Ant2	2462	2522.311	-51.26	0	-51.26	-26.01	PASS
11AX40MIMO	Ant2	2462	2523.311	-51.29	0	-51.29	-26.01	PASS
11AX40MIMO	Ant2	2462	2524.311	-51.28	0	-51.28	-26.01	PASS
11AX40MIMO	Ant2	2462	2525.311	-51.30	0	-51.30	-26.01	PASS
11AX40MIMO	Ant2	2462	2526.311	-51.29	0	-51.29	-26.01	PASS
11AX40MIMO	Ant2	2462	2527.311	-51.30	0	-51.30	-26.01	PASS

11AX40MIMO	Ant2	2462	2528.311	-51.34	0	-51.34	-26.01	PASS
11AX40MIMO	Ant2	2462	2529.311	-51.34	0	-51.34	-26.01	PASS
11AX40MIMO	Ant2	2462	2530.311	-51.34	0	-51.34	-26.01	PASS
11AX40MIMO	Ant2	2462	2531.311	-51.34	0	-51.34	-26.01	PASS
11AX40MIMO	Ant2	2462	2532.311	-51.36	0	-51.36	-26.01	PASS
11AX40MIMO	Ant2	2462	2533.311	-51.36	0	-51.36	-26.01	PASS
11AX40MIMO	Ant2	2462	2534.311	-51.37	0	-51.37	-26.01	PASS
11AX40MIMO	Ant2	2462	2535.311	-51.37	0	-51.37	-26.01	PASS
11AX40MIMO	Ant2	2462	2536.311	-51.36	0	-51.36	-26.01	PASS
11AX40MIMO	Ant2	2462	2537.311	-51.37	0	-51.37	-26.01	PASS
11AX40MIMO	Ant2	2462	2538.311	-51.38	0	-51.38	-26.01	PASS
11AX40MIMO	Ant2	2462	2539.311	-51.40	0	-51.40	-26.01	PASS
11AX40MIMO	Ant2	2462	2540.311	-51.40	0	-51.40	-26.01	PASS
11AX40MIMO	Ant2	2462	2541.311	-51.39	0	-51.39	-26.01	PASS
11AX40MIMO	Ant2	2462	2542.311	-51.40	0	-51.40	-26.01	PASS
11AX40MIMO	Ant2	2462	2543.311	-51.45	0	-51.45	-26.01	PASS
11AX40MIMO	Ant2	2462	2544.311	-51.43	0	-51.43	-26.01	PASS
11AX40MIMO	Ant2	2462	2545.311	-51.43	0	-51.43	-26.01	PASS
11AX40MIMO	Ant2	2462	2546.311	-51.45	0	-51.45	-26.01	PASS
11AX40MIMO	Ant2	2462	2547.311	-51.44	0	-51.44	-26.01	PASS
11AX40MIMO	Ant2	2462	2548.311	-51.44	0	-51.44	-26.01	PASS
11AX40MIMO	Ant2	2462	2549.311	-51.47	0	-51.47	-26.01	PASS
11AX40MIMO	Ant2	2462	2550.311	-51.46	0	-51.46	-26.01	PASS
11AX40MIMO	Ant2	2462	2551.311	-51.49	0	-51.49	-26.01	PASS
11AX40MIMO	Ant2	2462	2552.311	-51.51	0	-51.51	-26.01	PASS
11AX40MIMO	Ant2	2462	2553.311	-51.50	0	-51.50	-26.01	PASS
11AX40MIMO	Ant2	2462	2554.311	-51.49	0	-51.49	-26.01	PASS
11AX40MIMO	Ant2	2462	2555.311	-51.51	0	-51.51	-26.01	PASS
11AX40MIMO	Ant2	2462	2556.311	-51.53	0	-51.53	-26.01	PASS
11AX40MIMO	Ant2	2462	2557.311	-51.51	0	-51.51	-26.01	PASS
11AX40MIMO	Ant2	2462	2557.622	-51.53	0	-51.53	-26.01	PASS
11BE20MIMO	Ant1	2412	2362.805	-51.47	0	-51.47	-26.01	PASS
11BE20MIMO	Ant1	2412	2363.11	-51.48	0	-51.48	-26.01	PASS
11BE20MIMO	Ant1	2412	2363.805	-51.47	0	-51.47	-26.01	PASS
11BE20MIMO	Ant1	2412	2364.805	-51.46	0	-51.46	-26.01	PASS
11BE20MIMO	Ant1	2412	2365.805	-51.45	0	-51.45	-26.01	PASS
11BE20MIMO	Ant1	2412	2366.805	-51.45	0	-51.45	-26.01	PASS
11BE20MIMO	Ant1	2412	2367.805	-51.41	0	-51.41	-26.01	PASS
11BE20MIMO	Ant1	2412	2368.805	-51.44	0	-51.44	-26.01	PASS
11BE20MIMO	Ant1	2412	2369.805	-51.40	0	-51.40	-26.01	PASS



11BE20MIMO	Ant1	2412	2370.805	-51.39	0	-51.39	-26.01	PASS
11BE20MIMO	Ant1	2412	2371.805	-51.39	0	-51.39	-26.01	PASS
11BE20MIMO	Ant1	2412	2372.805	-51.34	0	-51.34	-26.01	PASS
11BE20MIMO	Ant1	2412	2373.805	-51.36	0	-51.36	-26.01	PASS
11BE20MIMO	Ant1	2412	2374.805	-51.32	0	-51.32	-26.01	PASS
11BE20MIMO	Ant1	2412	2375.805	-51.30	0	-51.30	-26.01	PASS
11BE20MIMO	Ant1	2412	2376.805	-51.26	0	-51.26	-26.01	PASS
11BE20MIMO	Ant1	2412	2377.805	-51.23	0	-51.23	-26.01	PASS
11BE20MIMO	Ant1	2412	2378.805	-51.23	0	-51.23	-26.01	PASS
11BE20MIMO	Ant1	2412	2379.805	-51.16	0	-51.16	-26.01	PASS
11BE20MIMO	Ant1	2412	2380.805	-51.12	0	-51.12	-26.01	PASS
11BE20MIMO	Ant1	2412	2381.5	-51.11	0	-51.11	-16.01	PASS
11BE20MIMO	Ant1	2412	2381.805	-51.09	0	-51.09	-16.01	PASS
11BE20MIMO	Ant1	2412	2382.5	-51.03	0	-51.03	-16.01	PASS
11BE20MIMO	Ant1	2412	2383.5	-50.96	0	-50.96	-16.01	PASS
11BE20MIMO	Ant1	2412	2384.5	-50.81	0	-50.81	-16.01	PASS
11BE20MIMO	Ant1	2412	2385.5	-50.61	0	-50.61	-16.01	PASS
11BE20MIMO	Ant1	2412	2386.5	-50.25	0	-50.25	-16.01	PASS
11BE20MIMO	Ant1	2412	2387.5	-49.53	0	-49.53	-16.01	PASS
11BE20MIMO	Ant1	2412	2388.5	-48.96	0	-48.96	-16.01	PASS
11BE20MIMO	Ant1	2412	2389.5	-48.05	0	-48.05	-16.01	PASS
11BE20MIMO	Ant1	2412	2390.5	-47.23	0	-47.23	-16.01	PASS
11BE20MIMO	Ant1	2412	2391.5	-46.18	0	-46.18	-16.01	PASS
11BE20MIMO	Ant1	2412	2392.5	-45.38	0	-45.38	-16.01	PASS
11BE20MIMO	Ant1	2412	2393.5	-44.35	0	-44.35	-16.01	PASS
11BE20MIMO	Ant1	2412	2394.5	-43.37	0	-43.37	-16.01	PASS
11BE20MIMO	Ant1	2412	2395.5	-42.29	0	-42.29	-16.01	PASS
11BE20MIMO	Ant1	2412	2396.5	-41.81	0	-41.81	-16.01	PASS
11BE20MIMO	Ant1	2412	2397.5	-41.04	0	-41.04	-16.01	PASS
11BE20MIMO	Ant1	2412	2398.5	-40.18	0	-40.18	-16.01	PASS
11BE20MIMO	Ant1	2412	2399.5	-39.48	0	-39.48	-16.01	PASS
11BE20MIMO	Ant2	2412	2362.807	-51.77	0	-51.77	-26.01	PASS
11BE20MIMO	Ant2	2412	2363.114	-51.76	0	-51.76	-26.01	PASS
11BE20MIMO	Ant2	2412	2363.807	-51.74	0	-51.74	-26.01	PASS
11BE20MIMO	Ant2	2412	2364.807	-51.75	0	-51.75	-26.01	PASS
11BE20MIMO	Ant2	2412	2365.807	-51.71	0	-51.71	-26.01	PASS
11BE20MIMO	Ant2	2412	2366.807	-51.72	0	-51.72	-26.01	PASS
11BE20MIMO	Ant2	2412	2367.807	-51.70	0	-51.70	-26.01	PASS
11BE20MIMO	Ant2	2412	2368.807	-51.70	0	-51.70	-26.01	PASS
11BE20MIMO	Ant2	2412	2369.807	-51.70	0	-51.70	-26.01	PASS

11BE20MIMO	Ant2	2412	2370.807	-51.69	0	-51.69	-26.01	PASS
11BE20MIMO	Ant2	2412	2371.807	-51.66	0	-51.66	-26.01	PASS
11BE20MIMO	Ant2	2412	2372.807	-51.66	0	-51.66	-26.01	PASS
11BE20MIMO	Ant2	2412	2373.807	-51.65	0	-51.65	-26.01	PASS
11BE20MIMO	Ant2	2412	2374.807	-51.64	0	-51.64	-26.01	PASS
11BE20MIMO	Ant2	2412	2375.807	-51.60	0	-51.60	-26.01	PASS
11BE20MIMO	Ant2	2412	2376.807	-51.62	0	-51.62	-26.01	PASS
11BE20MIMO	Ant2	2412	2377.807	-51.60	0	-51.60	-26.01	PASS
11BE20MIMO	Ant2	2412	2378.807	-51.56	0	-51.56	-26.01	PASS
11BE20MIMO	Ant2	2412	2379.807	-51.54	0	-51.54	-26.01	PASS
11BE20MIMO	Ant2	2412	2380.807	-51.52	0	-51.52	-26.01	PASS
11BE20MIMO	Ant2	2412	2381.5	-51.50	0	-51.50	-16.01	PASS
11BE20MIMO	Ant2	2412	2381.807	-51.48	0	-51.48	-16.01	PASS
11BE20MIMO	Ant2	2412	2382.5	-51.45	0	-51.45	-16.01	PASS
11BE20MIMO	Ant2	2412	2383.5	-51.43	0	-51.43	-16.01	PASS
11BE20MIMO	Ant2	2412	2384.5	-51.36	0	-51.36	-16.01	PASS
11BE20MIMO	Ant2	2412	2385.5	-51.25	0	-51.25	-16.01	PASS
11BE20MIMO	Ant2	2412	2386.5	-51.04	0	-51.04	-16.01	PASS
11BE20MIMO	Ant2	2412	2387.5	-50.74	0	-50.74	-16.01	PASS
11BE20MIMO	Ant2	2412	2388.5	-50.34	0	-50.34	-16.01	PASS
11BE20MIMO	Ant2	2412	2389.5	-49.83	0	-49.83	-16.01	PASS
11BE20MIMO	Ant2	2412	2390.5	-49.37	0	-49.37	-16.01	PASS
11BE20MIMO	Ant2	2412	2391.5	-48.63	0	-48.63	-16.01	PASS
11BE20MIMO	Ant2	2412	2392.5	-47.75	0	-47.75	-16.01	PASS
11BE20MIMO	Ant2	2412	2393.5	-46.94	0	-46.94	-16.01	PASS
11BE20MIMO	Ant2	2412	2394.5	-46.12	0	-46.12	-16.01	PASS
11BE20MIMO	Ant2	2412	2395.5	-45.35	0	-45.35	-16.01	PASS
11BE20MIMO	Ant2	2412	2396.5	-44.86	0	-44.86	-16.01	PASS
11BE20MIMO	Ant2	2412	2397.5	-44.19	0	-44.19	-16.01	PASS
11BE20MIMO	Ant2	2412	2398.5	-43.55	0	-43.55	-16.01	PASS
11BE20MIMO	Ant2	2412	2399.5	-43.16	0	-43.16	-16.01	PASS
11BE20MIMO	Ant1	2472	2484	-43.35	0	-43.35	-16.01	PASS
11BE20MIMO	Ant1	2472	2485	-43.93	0	-43.93	-16.01	PASS
11BE20MIMO	Ant1	2472	2486	-44.04	0	-44.04	-16.01	PASS
11BE20MIMO	Ant1	2472	2487	-45.01	0	-45.01	-16.01	PASS
11BE20MIMO	Ant1	2472	2488	-45.46	0	-45.46	-16.01	PASS
11BE20MIMO	Ant1	2472	2489	-45.88	0	-45.88	-16.01	PASS
11BE20MIMO	Ant1	2472	2490	-46.78	0	-46.78	-16.01	PASS
11BE20MIMO	Ant1	2472	2491	-47.24	0	-47.24	-16.01	PASS
11BE20MIMO	Ant1	2472	2492	-47.93	0	-47.93	-16.01	PASS

11BE20MIMO	Ant1	2472	2493	-48.23	0	-48.23	-16.01	PASS
11BE20MIMO	Ant1	2472	2494	-48.45	0	-48.45	-16.01	PASS
11BE20MIMO	Ant1	2472	2495	-48.91	0	-48.91	-16.01	PASS
11BE20MIMO	Ant1	2472	2496	-49.20	0	-49.20	-16.01	PASS
11BE20MIMO	Ant1	2472	2497	-49.43	0	-49.43	-16.01	PASS
11BE20MIMO	Ant1	2472	2498	-49.69	0	-49.69	-16.01	PASS
11BE20MIMO	Ant1	2472	2499	-49.78	0	-49.78	-16.01	PASS
11BE20MIMO	Ant1	2472	2500	-49.89	0	-49.89	-16.01	PASS
11BE20MIMO	Ant1	2472	2501	-49.80	0	-49.80	-16.01	PASS
11BE20MIMO	Ant1	2472	2501.697	-49.83	0	-49.83	-16.01	PASS
11BE20MIMO	Ant1	2472	2502	-49.81	0	-49.81	-16.01	PASS
11BE20MIMO	Ant1	2472	2502.697	-49.88	0	-49.88	-26.01	PASS
11BE20MIMO	Ant1	2472	2503.697	-49.94	0	-49.94	-26.01	PASS
11BE20MIMO	Ant1	2472	2504.697	-49.96	0	-49.96	-26.01	PASS
11BE20MIMO	Ant1	2472	2505.697	-50.05	0	-50.05	-26.01	PASS
11BE20MIMO	Ant1	2472	2506.697	-50.06	0	-50.06	-26.01	PASS
11BE20MIMO	Ant1	2472	2507.697	-50.12	0	-50.12	-26.01	PASS
11BE20MIMO	Ant1	2472	2508.697	-50.11	0	-50.11	-26.01	PASS
11BE20MIMO	Ant1	2472	2509.697	-50.19	0	-50.19	-26.01	PASS
11BE20MIMO	Ant1	2472	2510.697	-50.17	0	-50.17	-26.01	PASS
11BE20MIMO	Ant1	2472	2511.697	-50.19	0	-50.19	-26.01	PASS
11BE20MIMO	Ant1	2472	2512.697	-50.22	0	-50.22	-26.01	PASS
11BE20MIMO	Ant1	2472	2513.697	-50.25	0	-50.25	-26.01	PASS
11BE20MIMO	Ant1	2472	2514.697	-50.24	0	-50.24	-26.01	PASS
11BE20MIMO	Ant1	2472	2515.697	-50.25	0	-50.25	-26.01	PASS
11BE20MIMO	Ant1	2472	2516.697	-50.27	0	-50.27	-26.01	PASS
11BE20MIMO	Ant1	2472	2517.697	-50.28	0	-50.28	-26.01	PASS
11BE20MIMO	Ant1	2472	2518.697	-50.27	0	-50.27	-26.01	PASS
11BE20MIMO	Ant1	2472	2519.697	-50.30	0	-50.30	-26.01	PASS
11BE20MIMO	Ant1	2472	2520.394	-50.28	0	-50.28	-26.01	PASS
11BE20MIMO	Ant1	2472	2520.697	-50.30	0	-50.30	-26.01	PASS
11BE20MIMO	Ant2	2472	2484	-46.92	0	-46.92	-16.01	PASS
11BE20MIMO	Ant2	2472	2485	-47.91	0	-47.91	-16.01	PASS
11BE20MIMO	Ant2	2472	2486	-47.78	0	-47.78	-16.01	PASS
11BE20MIMO	Ant2	2472	2487	-48.44	0	-48.44	-16.01	PASS
11BE20MIMO	Ant2	2472	2488	-48.79	0	-48.79	-16.01	PASS
11BE20MIMO	Ant2	2472	2489	-49.13	0	-49.13	-16.01	PASS
11BE20MIMO	Ant2	2472	2490	-49.62	0	-49.62	-16.01	PASS
11BE20MIMO	Ant2	2472	2491	-49.84	0	-49.84	-16.01	PASS
11BE20MIMO	Ant2	2472	2492	-50.39	0	-50.39	-16.01	PASS

11BE20MIMO	Ant2	2472	2493	-50.56	0	-50.56	-16.01	PASS
11BE20MIMO	Ant2	2472	2494	-50.72	0	-50.72	-16.01	PASS
11BE20MIMO	Ant2	2472	2495	-50.85	0	-50.85	-16.01	PASS
11BE20MIMO	Ant2	2472	2496	-50.97	0	-50.97	-16.01	PASS
11BE20MIMO	Ant2	2472	2497	-51.05	0	-51.05	-16.01	PASS
11BE20MIMO	Ant2	2472	2498	-51.12	0	-51.12	-16.01	PASS
11BE20MIMO	Ant2	2472	2499	-51.17	0	-51.17	-16.01	PASS
11BE20MIMO	Ant2	2472	2500	-51.20	0	-51.20	-16.01	PASS
11BE20MIMO	Ant2	2472	2501	-51.01	0	-51.01	-16.01	PASS
11BE20MIMO	Ant2	2472	2501.691	-51.07	0	-51.07	-16.01	PASS
11BE20MIMO	Ant2	2472	2502	-51.06	0	-51.06	-16.01	PASS
11BE20MIMO	Ant2	2472	2502.691	-51.08	0	-51.08	-26.01	PASS
11BE20MIMO	Ant2	2472	2503.691	-51.12	0	-51.12	-26.01	PASS
11BE20MIMO	Ant2	2472	2504.691	-51.14	0	-51.14	-26.01	PASS
11BE20MIMO	Ant2	2472	2505.691	-51.13	0	-51.13	-26.01	PASS
11BE20MIMO	Ant2	2472	2506.691	-51.17	0	-51.17	-26.01	PASS
11BE20MIMO	Ant2	2472	2507.691	-51.17	0	-51.17	-26.01	PASS
11BE20MIMO	Ant2	2472	2508.691	-51.20	0	-51.20	-26.01	PASS
11BE20MIMO	Ant2	2472	2509.691	-51.22	0	-51.22	-26.01	PASS
11BE20MIMO	Ant2	2472	2510.691	-51.22	0	-51.22	-26.01	PASS
11BE20MIMO	Ant2	2472	2511.691	-51.25	0	-51.25	-26.01	PASS
11BE20MIMO	Ant2	2472	2512.691	-51.28	0	-51.28	-26.01	PASS
11BE20MIMO	Ant2	2472	2513.691	-51.28	0	-51.28	-26.01	PASS
11BE20MIMO	Ant2	2472	2514.691	-51.31	0	-51.31	-26.01	PASS
11BE20MIMO	Ant2	2472	2515.691	-51.30	0	-51.30	-26.01	PASS
11BE20MIMO	Ant2	2472	2516.691	-51.32	0	-51.32	-26.01	PASS
11BE20MIMO	Ant2	2472	2517.691	-51.32	0	-51.32	-26.01	PASS
11BE20MIMO	Ant2	2472	2518.691	-51.31	0	-51.31	-26.01	PASS
11BE20MIMO	Ant2	2472	2519.691	-51.35	0	-51.35	-26.01	PASS
11BE20MIMO	Ant2	2472	2520.382	-51.34	0	-51.34	-26.01	PASS
11BE20MIMO	Ant2	2472	2520.691	-51.34	0	-51.34	-26.01	PASS
11BE40MIMO	Ant1	2422	2325.914	-51.56	0	-51.56	-26.01	PASS
11BE40MIMO	Ant1	2422	2326.207	-51.55	0	-51.55	-26.01	PASS
11BE40MIMO	Ant1	2422	2327.207	-51.34	0	-51.34	-26.01	PASS
11BE40MIMO	Ant1	2422	2328.207	-51.28	0	-51.28	-26.01	PASS
11BE40MIMO	Ant1	2422	2329.207	-48.34	0	-48.34	-26.01	PASS
11BE40MIMO	Ant1	2422	2330.207	-51.45	0	-51.45	-26.01	PASS
11BE40MIMO	Ant1	2422	2331.207	-51.53	0	-51.53	-26.01	PASS
11BE40MIMO	Ant1	2422	2332.207	-51.70	0	-51.70	-26.01	PASS
11BE40MIMO	Ant1	2422	2333.207	-51.70	0	-51.70	-26.01	PASS



11BE40MIMO	Ant1	2422	2334.207	-51.66	0	-51.66	-26.01	PASS
11BE40MIMO	Ant1	2422	2335.207	-51.64	0	-51.64	-26.01	PASS
11BE40MIMO	Ant1	2422	2336.207	-51.64	0	-51.64	-26.01	PASS
11BE40MIMO	Ant1	2422	2337.207	-51.61	0	-51.61	-26.01	PASS
11BE40MIMO	Ant1	2422	2338.207	-51.63	0	-51.63	-26.01	PASS
11BE40MIMO	Ant1	2422	2339.207	-51.60	0	-51.60	-26.01	PASS
11BE40MIMO	Ant1	2422	2340.207	-51.58	0	-51.58	-26.01	PASS
11BE40MIMO	Ant1	2422	2341.207	-51.56	0	-51.56	-26.01	PASS
11BE40MIMO	Ant1	2422	2342.207	-51.57	0	-51.57	-26.01	PASS
11BE40MIMO	Ant1	2422	2343.207	-51.56	0	-51.56	-26.01	PASS
11BE40MIMO	Ant1	2422	2344.207	-51.56	0	-51.56	-26.01	PASS
11BE40MIMO	Ant1	2422	2345.207	-51.56	0	-51.56	-26.01	PASS
11BE40MIMO	Ant1	2422	2346.207	-51.52	0	-51.52	-26.01	PASS
11BE40MIMO	Ant1	2422	2347.207	-51.52	0	-51.52	-26.01	PASS
11BE40MIMO	Ant1	2422	2348.207	-51.52	0	-51.52	-26.01	PASS
11BE40MIMO	Ant1	2422	2349.207	-51.52	0	-51.52	-26.01	PASS
11BE40MIMO	Ant1	2422	2350.207	-51.48	0	-51.48	-26.01	PASS
11BE40MIMO	Ant1	2422	2351.207	-51.49	0	-51.49	-26.01	PASS
11BE40MIMO	Ant1	2422	2352.207	-51.47	0	-51.47	-26.01	PASS
11BE40MIMO	Ant1	2422	2353.207	-51.45	0	-51.45	-26.01	PASS
11BE40MIMO	Ant1	2422	2354.207	-51.44	0	-51.44	-26.01	PASS
11BE40MIMO	Ant1	2422	2355.207	-51.43	0	-51.43	-26.01	PASS
11BE40MIMO	Ant1	2422	2356.207	-51.43	0	-51.43	-26.01	PASS
11BE40MIMO	Ant1	2422	2357.207	-51.42	0	-51.42	-26.01	PASS
11BE40MIMO	Ant1	2422	2358.207	-51.40	0	-51.40	-26.01	PASS
11BE40MIMO	Ant1	2422	2359.207	-51.37	0	-51.37	-26.01	PASS
11BE40MIMO	Ant1	2422	2360.207	-51.34	0	-51.34	-26.01	PASS
11BE40MIMO	Ant1	2422	2361.207	-51.35	0	-51.35	-26.01	PASS
11BE40MIMO	Ant1	2422	2362.207	-51.33	0	-51.33	-26.01	PASS
11BE40MIMO	Ant1	2422	2363.207	-51.32	0	-51.32	-16.01	PASS
11BE40MIMO	Ant1	2422	2363.5	-51.32	0	-51.32	-16.01	PASS
11BE40MIMO	Ant1	2422	2364.5	-51.29	0	-51.29	-16.01	PASS
11BE40MIMO	Ant1	2422	2365.5	-51.27	0	-51.27	-16.01	PASS
11BE40MIMO	Ant1	2422	2366.5	-51.26	0	-51.26	-16.01	PASS
11BE40MIMO	Ant1	2422	2367.5	-51.16	0	-51.16	-16.01	PASS
11BE40MIMO	Ant1	2422	2368.5	-51.17	0	-51.17	-16.01	PASS
11BE40MIMO	Ant1	2422	2369.5	-51.11	0	-51.11	-16.01	PASS
11BE40MIMO	Ant1	2422	2370.5	-51.08	0	-51.08	-16.01	PASS
11BE40MIMO	Ant1	2422	2371.5	-51.00	0	-51.00	-16.01	PASS
11BE40MIMO	Ant1	2422	2372.5	-50.91	0	-50.91	-16.01	PASS

11BE40MIMO	Ant1	2422	2373.5	-50.75	0	-50.75	-16.01	PASS
11BE40MIMO	Ant1	2422	2374.5	-50.67	0	-50.67	-16.01	PASS
11BE40MIMO	Ant1	2422	2375.5	-50.46	0	-50.46	-16.01	PASS
11BE40MIMO	Ant1	2422	2376.5	-50.34	0	-50.34	-16.01	PASS
11BE40MIMO	Ant1	2422	2377.5	-50.08	0	-50.08	-16.01	PASS
11BE40MIMO	Ant1	2422	2378.5	-49.80	0	-49.80	-16.01	PASS
11BE40MIMO	Ant1	2422	2379.5	-49.56	0	-49.56	-16.01	PASS
11BE40MIMO	Ant1	2422	2380.5	-49.04	0	-49.04	-16.01	PASS
11BE40MIMO	Ant1	2422	2381.5	-49.02	0	-49.02	-16.01	PASS
11BE40MIMO	Ant1	2422	2382.5	-48.70	0	-48.70	-16.01	PASS
11BE40MIMO	Ant1	2422	2383.5	-46.76	0	-46.76	-16.01	PASS
11BE40MIMO	Ant1	2422	2384.5	-45.95	0	-45.95	-16.01	PASS
11BE40MIMO	Ant1	2422	2385.5	-45.53	0	-45.53	-16.01	PASS
11BE40MIMO	Ant1	2422	2386.5	-45.74	0	-45.74	-16.01	PASS
11BE40MIMO	Ant1	2422	2387.5	-44.10	0	-44.10	-16.01	PASS
11BE40MIMO	Ant1	2422	2388.5	-44.73	0	-44.73	-16.01	PASS
11BE40MIMO	Ant1	2422	2389.5	-45.08	0	-45.08	-16.01	PASS
11BE40MIMO	Ant1	2422	2390.5	-44.16	0	-44.16	-16.01	PASS
11BE40MIMO	Ant1	2422	2391.5	-44.74	0	-44.74	-16.01	PASS
11BE40MIMO	Ant1	2422	2392.5	-44.16	0	-44.16	-16.01	PASS
11BE40MIMO	Ant1	2422	2393.5	-42.84	0	-42.84	-16.01	PASS
11BE40MIMO	Ant1	2422	2394.5	-42.90	0	-42.90	-16.01	PASS
11BE40MIMO	Ant1	2422	2395.5	-42.75	0	-42.75	-16.01	PASS
11BE40MIMO	Ant1	2422	2396.5	-41.93	0	-41.93	-16.01	PASS
11BE40MIMO	Ant1	2422	2397.5	-41.95	0	-41.95	-16.01	PASS
11BE40MIMO	Ant1	2422	2398.5	-41.18	0	-41.18	-16.01	PASS
11BE40MIMO	Ant1	2422	2399.5	-40.73	0	-40.73	-16.01	PASS
11BE40MIMO	Ant2	2422	2325.94	-51.72	0	-51.72	-26.01	PASS
11BE40MIMO	Ant2	2422	2326.22	-51.72	0	-51.72	-26.01	PASS
11BE40MIMO	Ant2	2422	2327.22	-51.70	0	-51.70	-26.01	PASS
11BE40MIMO	Ant2	2422	2328.22	-51.68	0	-51.68	-26.01	PASS
11BE40MIMO	Ant2	2422	2329.22	-51.68	0	-51.68	-26.01	PASS
11BE40MIMO	Ant2	2422	2330.22	-51.86	0	-51.86	-26.01	PASS
11BE40MIMO	Ant2	2422	2331.22	-51.85	0	-51.85	-26.01	PASS
11BE40MIMO	Ant2	2422	2332.22	-51.84	0	-51.84	-26.01	PASS
11BE40MIMO	Ant2	2422	2333.22	-51.84	0	-51.84	-26.01	PASS
11BE40MIMO	Ant2	2422	2334.22	-51.82	0	-51.82	-26.01	PASS
11BE40MIMO	Ant2	2422	2335.22	-51.80	0	-51.80	-26.01	PASS
11BE40MIMO	Ant2	2422	2336.22	-51.78	0	-51.78	-26.01	PASS
11BE40MIMO	Ant2	2422	2337.22	-51.80	0	-51.80	-26.01	PASS

11BE40MIMO	Ant2	2422	2338.22	-51.78	0	-51.78	-26.01	PASS
11BE40MIMO	Ant2	2422	2339.22	-51.78	0	-51.78	-26.01	PASS
11BE40MIMO	Ant2	2422	2340.22	-51.77	0	-51.77	-26.01	PASS
11BE40MIMO	Ant2	2422	2341.22	-51.76	0	-51.76	-26.01	PASS
11BE40MIMO	Ant2	2422	2342.22	-51.77	0	-51.77	-26.01	PASS
11BE40MIMO	Ant2	2422	2343.22	-51.77	0	-51.77	-26.01	PASS
11BE40MIMO	Ant2	2422	2344.22	-51.76	0	-51.76	-26.01	PASS
11BE40MIMO	Ant2	2422	2345.22	-51.76	0	-51.76	-26.01	PASS
11BE40MIMO	Ant2	2422	2346.22	-51.74	0	-51.74	-26.01	PASS
11BE40MIMO	Ant2	2422	2347.22	-51.74	0	-51.74	-26.01	PASS
11BE40MIMO	Ant2	2422	2348.22	-51.74	0	-51.74	-26.01	PASS
11BE40MIMO	Ant2	2422	2349.22	-51.72	0	-51.72	-26.01	PASS
11BE40MIMO	Ant2	2422	2350.22	-51.72	0	-51.72	-26.01	PASS
11BE40MIMO	Ant2	2422	2351.22	-51.71	0	-51.71	-26.01	PASS
11BE40MIMO	Ant2	2422	2352.22	-51.71	0	-51.71	-26.01	PASS
11BE40MIMO	Ant2	2422	2353.22	-51.71	0	-51.71	-26.01	PASS
11BE40MIMO	Ant2	2422	2354.22	-51.69	0	-51.69	-26.01	PASS
11BE40MIMO	Ant2	2422	2355.22	-51.67	0	-51.67	-26.01	PASS
11BE40MIMO	Ant2	2422	2356.22	-51.69	0	-51.69	-26.01	PASS
11BE40MIMO	Ant2	2422	2357.22	-51.68	0	-51.68	-26.01	PASS
11BE40MIMO	Ant2	2422	2358.22	-51.67	0	-51.67	-26.01	PASS
11BE40MIMO	Ant2	2422	2359.22	-51.68	0	-51.68	-26.01	PASS
11BE40MIMO	Ant2	2422	2360.22	-51.64	0	-51.64	-26.01	PASS
11BE40MIMO	Ant2	2422	2361.22	-51.63	0	-51.63	-26.01	PASS
11BE40MIMO	Ant2	2422	2362.22	-51.64	0	-51.64	-26.01	PASS
11BE40MIMO	Ant2	2422	2363.22	-51.64	0	-51.64	-16.01	PASS
11BE40MIMO	Ant2	2422	2363.5	-51.62	0	-51.62	-16.01	PASS
11BE40MIMO	Ant2	2422	2364.5	-51.63	0	-51.63	-16.01	PASS
11BE40MIMO	Ant2	2422	2365.5	-51.60	0	-51.60	-16.01	PASS
11BE40MIMO	Ant2	2422	2366.5	-51.59	0	-51.59	-16.01	PASS
11BE40MIMO	Ant2	2422	2367.5	-51.60	0	-51.60	-16.01	PASS
11BE40MIMO	Ant2	2422	2368.5	-51.56	0	-51.56	-16.01	PASS
11BE40MIMO	Ant2	2422	2369.5	-51.52	0	-51.52	-16.01	PASS
11BE40MIMO	Ant2	2422	2370.5	-51.52	0	-51.52	-16.01	PASS
11BE40MIMO	Ant2	2422	2371.5	-51.50	0	-51.50	-16.01	PASS
11BE40MIMO	Ant2	2422	2372.5	-51.46	0	-51.46	-16.01	PASS
11BE40MIMO	Ant2	2422	2373.5	-51.41	0	-51.41	-16.01	PASS
11BE40MIMO	Ant2	2422	2374.5	-51.37	0	-51.37	-16.01	PASS
11BE40MIMO	Ant2	2422	2375.5	-51.25	0	-51.25	-16.01	PASS
11BE40MIMO	Ant2	2422	2376.5	-51.20	0	-51.20	-16.01	PASS



11BE40MIMO	Ant2	2422	2377.5	-51.11	0	-51.11	-16.01	PASS
11BE40MIMO	Ant2	2422	2378.5	-51.03	0	-51.03	-16.01	PASS
11BE40MIMO	Ant2	2422	2379.5	-50.85	0	-50.85	-16.01	PASS
11BE40MIMO	Ant2	2422	2380.5	-50.69	0	-50.69	-16.01	PASS
11BE40MIMO	Ant2	2422	2381.5	-50.65	0	-50.65	-16.01	PASS
11BE40MIMO	Ant2	2422	2382.5	-50.50	0	-50.50	-16.01	PASS
11BE40MIMO	Ant2	2422	2383.5	-50.03	0	-50.03	-16.01	PASS
11BE40MIMO	Ant2	2422	2384.5	-49.26	0	-49.26	-16.01	PASS
11BE40MIMO	Ant2	2422	2385.5	-49.18	0	-49.18	-16.01	PASS
11BE40MIMO	Ant2	2422	2386.5	-49.08	0	-49.08	-16.01	PASS
11BE40MIMO	Ant2	2422	2387.5	-48.65	0	-48.65	-16.01	PASS
11BE40MIMO	Ant2	2422	2388.5	-48.49	0	-48.49	-16.01	PASS
11BE40MIMO	Ant2	2422	2389.5	-48.26	0	-48.26	-16.01	PASS
11BE40MIMO	Ant2	2422	2390.5	-47.73	0	-47.73	-16.01	PASS
11BE40MIMO	Ant2	2422	2391.5	-48.03	0	-48.03	-16.01	PASS
11BE40MIMO	Ant2	2422	2392.5	-47.74	0	-47.74	-16.01	PASS
11BE40MIMO	Ant2	2422	2393.5	-47.37	0	-47.37	-16.01	PASS
11BE40MIMO	Ant2	2422	2394.5	-46.91	0	-46.91	-16.01	PASS
11BE40MIMO	Ant2	2422	2395.5	-46.65	0	-46.65	-16.01	PASS
11BE40MIMO	Ant2	2422	2396.5	-46.22	0	-46.22	-16.01	PASS
11BE40MIMO	Ant2	2422	2397.5	-46.24	0	-46.24	-16.01	PASS
11BE40MIMO	Ant2	2422	2398.5	-45.28	0	-45.28	-16.01	PASS
11BE40MIMO	Ant2	2422	2399.5	-44.85	0	-44.85	-16.01	PASS
11BE40MIMO	Ant1	2462	2484	-44.12	0	-44.12	-16.01	PASS
11BE40MIMO	Ant1	2462	2485	-43.57	0	-43.57	-16.01	PASS
11BE40MIMO	Ant1	2462	2486	-43.93	0	-43.93	-16.01	PASS
11BE40MIMO	Ant1	2462	2487	-44.11	0	-44.11	-16.01	PASS
11BE40MIMO	Ant1	2462	2488	-44.97	0	-44.97	-16.01	PASS
11BE40MIMO	Ant1	2462	2489	-45.45	0	-45.45	-16.01	PASS
11BE40MIMO	Ant1	2462	2490	-45.47	0	-45.47	-16.01	PASS
11BE40MIMO	Ant1	2462	2491	-45.70	0	-45.70	-16.01	PASS
11BE40MIMO	Ant1	2462	2492	-46.42	0	-46.42	-16.01	PASS
11BE40MIMO	Ant1	2462	2493	-46.24	0	-46.24	-16.01	PASS
11BE40MIMO	Ant1	2462	2494	-46.76	0	-46.76	-16.01	PASS
11BE40MIMO	Ant1	2462	2495	-46.99	0	-46.99	-16.01	PASS
11BE40MIMO	Ant1	2462	2496	-47.28	0	-47.28	-16.01	PASS
11BE40MIMO	Ant1	2462	2497	-47.49	0	-47.49	-16.01	PASS
11BE40MIMO	Ant1	2462	2498	-47.60	0	-47.60	-16.01	PASS
11BE40MIMO	Ant1	2462	2499	-47.66	0	-47.66	-16.01	PASS
11BE40MIMO	Ant1	2462	2500	-48.23	0	-48.23	-16.01	PASS

11BE40MIMO	Ant1	2462	2501	-48.44	0	-48.44	-16.01	PASS
11BE40MIMO	Ant1	2462	2502	-48.66	0	-48.66	-16.01	PASS
11BE40MIMO	Ant1	2462	2503	-48.66	0	-48.66	-16.01	PASS
11BE40MIMO	Ant1	2462	2504	-48.93	0	-48.93	-16.01	PASS
11BE40MIMO	Ant1	2462	2505	-49.05	0	-49.05	-16.01	PASS
11BE40MIMO	Ant1	2462	2506	-49.12	0	-49.12	-16.01	PASS
11BE40MIMO	Ant1	2462	2507	-49.23	0	-49.23	-16.01	PASS
11BE40MIMO	Ant1	2462	2508	-49.42	0	-49.42	-16.01	PASS
11BE40MIMO	Ant1	2462	2509	-49.39	0	-49.39	-16.01	PASS
11BE40MIMO	Ant1	2462	2510	-49.60	0	-49.60	-16.01	PASS
11BE40MIMO	Ant1	2462	2511	-49.59	0	-49.59	-16.01	PASS
11BE40MIMO	Ant1	2462	2512	-49.72	0	-49.72	-16.01	PASS
11BE40MIMO	Ant1	2462	2513	-49.76	0	-49.76	-16.01	PASS
11BE40MIMO	Ant1	2462	2514	-49.81	0	-49.81	-16.01	PASS
11BE40MIMO	Ant1	2462	2515	-49.84	0	-49.84	-16.01	PASS
11BE40MIMO	Ant1	2462	2516	-49.88	0	-49.88	-16.01	PASS
11BE40MIMO	Ant1	2462	2517	-49.93	0	-49.93	-16.01	PASS
11BE40MIMO	Ant1	2462	2518	-49.95	0	-49.95	-16.01	PASS
11BE40MIMO	Ant1	2462	2519	-50.00	0	-50.00	-16.01	PASS
11BE40MIMO	Ant1	2462	2520	-49.99	0	-49.99	-16.01	PASS
11BE40MIMO	Ant1	2462	2520.302	-50.01	0	-50.01	-16.01	PASS
11BE40MIMO	Ant1	2462	2521.302	-50.09	0	-50.09	-26.01	PASS
11BE40MIMO	Ant1	2462	2522.302	-50.09	0	-50.09	-26.01	PASS
11BE40MIMO	Ant1	2462	2523.302	-50.13	0	-50.13	-26.01	PASS
11BE40MIMO	Ant1	2462	2524.302	-50.12	0	-50.12	-26.01	PASS
11BE40MIMO	Ant1	2462	2525.302	-50.12	0	-50.12	-26.01	PASS
11BE40MIMO	Ant1	2462	2526.302	-50.16	0	-50.16	-26.01	PASS
11BE40MIMO	Ant1	2462	2527.302	-50.16	0	-50.16	-26.01	PASS
11BE40MIMO	Ant1	2462	2528.302	-50.15	0	-50.15	-26.01	PASS
11BE40MIMO	Ant1	2462	2529.302	-50.19	0	-50.19	-26.01	PASS
11BE40MIMO	Ant1	2462	2530.302	-50.20	0	-50.20	-26.01	PASS
11BE40MIMO	Ant1	2462	2531.302	-50.20	0	-50.20	-26.01	PASS
11BE40MIMO	Ant1	2462	2532.302	-50.22	0	-50.22	-26.01	PASS
11BE40MIMO	Ant1	2462	2533.302	-50.23	0	-50.23	-26.01	PASS
11BE40MIMO	Ant1	2462	2534.302	-50.22	0	-50.22	-26.01	PASS
11BE40MIMO	Ant1	2462	2535.302	-50.22	0	-50.22	-26.01	PASS
11BE40MIMO	Ant1	2462	2536.302	-50.23	0	-50.23	-26.01	PASS
11BE40MIMO	Ant1	2462	2537.302	-50.24	0	-50.24	-26.01	PASS
11BE40MIMO	Ant1	2462	2538.302	-50.25	0	-50.25	-26.01	PASS
11BE40MIMO	Ant1	2462	2539.302	-50.25	0	-50.25	-26.01	PASS


11BE40MIMO	Ant1	2462	2540.302	-50.28	0	-50.28	-26.01	PASS
11BE40MIMO	Ant1	2462	2541.302	-50.29	0	-50.29	-26.01	PASS
11BE40MIMO	Ant1	2462	2542.302	-50.31	0	-50.31	-26.01	PASS
11BE40MIMO	Ant1	2462	2543.302	-50.30	0	-50.30	-26.01	PASS
11BE40MIMO	Ant1	2462	2544.302	-49.86	0	-49.86	-26.01	PASS
11BE40MIMO	Ant1	2462	2545.302	-50.30	0	-50.30	-26.01	PASS
11BE40MIMO	Ant1	2462	2546.302	-50.33	0	-50.33	-26.01	PASS
11BE40MIMO	Ant1	2462	2547.302	-50.33	0	-50.33	-26.01	PASS
11BE40MIMO	Ant1	2462	2548.302	-50.32	0	-50.32	-26.01	PASS
11BE40MIMO	Ant1	2462	2549.302	-50.36	0	-50.36	-26.01	PASS
11BE40MIMO	Ant1	2462	2550.302	-50.36	0	-50.36	-26.01	PASS
11BE40MIMO	Ant1	2462	2551.302	-50.38	0	-50.38	-26.01	PASS
11BE40MIMO	Ant1	2462	2552.302	-50.40	0	-50.40	-26.01	PASS
11BE40MIMO	Ant1	2462	2553.302	-50.38	0	-50.38	-26.01	PASS
11BE40MIMO	Ant1	2462	2554.302	-50.42	0	-50.42	-26.01	PASS
11BE40MIMO	Ant1	2462	2555.302	-50.43	0	-50.43	-26.01	PASS
11BE40MIMO	Ant1	2462	2556.302	-50.39	0	-50.39	-26.01	PASS
11BE40MIMO	Ant1	2462	2557.302	-50.44	0	-50.44	-26.01	PASS
11BE40MIMO	Ant1	2462	2557.604	-50.44	0	-50.44	-26.01	PASS
11BE40MIMO	Ant2	2462	2484	-48.22	0	-48.22	-16.01	PASS
11BE40MIMO	Ant2	2462	2485	-48.26	0	-48.26	-16.01	PASS
11BE40MIMO	Ant2	2462	2486	-48.33	0	-48.33	-16.01	PASS
11BE40MIMO	Ant2	2462	2487	-48.32	0	-48.32	-16.01	PASS
11BE40MIMO	Ant2	2462	2488	-48.97	0	-48.97	-16.01	PASS
11BE40MIMO	Ant2	2462	2489	-49.03	0	-49.03	-16.01	PASS
11BE40MIMO	Ant2	2462	2490	-49.18	0	-49.18	-16.01	PASS
11BE40MIMO	Ant2	2462	2491	-49.27	0	-49.27	-16.01	PASS
11BE40MIMO	Ant2	2462	2492	-49.69	0	-49.69	-16.01	PASS
11BE40MIMO	Ant2	2462	2493	-49.65	0	-49.65	-16.01	PASS
11BE40MIMO	Ant2	2462	2494	-49.94	0	-49.94	-16.01	PASS
11BE40MIMO	Ant2	2462	2495	-50.03	0	-50.03	-16.01	PASS
11BE40MIMO	Ant2	2462	2496	-50.09	0	-50.09	-16.01	PASS
11BE40MIMO	Ant2	2462	2497	-50.25	0	-50.25	-16.01	PASS
11BE40MIMO	Ant2	2462	2498	-50.29	0	-50.29	-16.01	PASS
11BE40MIMO	Ant2	2462	2499	-50.44	0	-50.44	-16.01	PASS
11BE40MIMO	Ant2	2462	2500	-50.63	0	-50.63	-16.01	PASS
11BE40MIMO	Ant2	2462	2501	-50.59	0	-50.59	-16.01	PASS
11BE40MIMO	Ant2	2462	2502	-50.67	0	-50.67	-16.01	PASS
11BE40MIMO	Ant2	2462	2503	-50.72	0	-50.72	-16.01	PASS
11BE40MIMO	Ant2	2462	2504	-50.79	0	-50.79	-16.01	PASS

11BE40MIMO	Ant2	2462	2505	-50.84	0	-50.84	-16.01	PASS
11BE40MIMO	Ant2	2462	2506	-50.90	0	-50.90	-16.01	PASS
11BE40MIMO	Ant2	2462	2507	-50.92	0	-50.92	-16.01	PASS
11BE40MIMO	Ant2	2462	2508	-50.98	0	-50.98	-16.01	PASS
11BE40MIMO	Ant2	2462	2509	-50.96	0	-50.96	-16.01	PASS
11BE40MIMO	Ant2	2462	2510	-51.03	0	-51.03	-16.01	PASS
11BE40MIMO	Ant2	2462	2511	-51.06	0	-51.06	-16.01	PASS
11BE40MIMO	Ant2	2462	2512	-51.06	0	-51.06	-16.01	PASS
11BE40MIMO	Ant2	2462	2513	-51.09	0	-51.09	-16.01	PASS
11BE40MIMO	Ant2	2462	2514	-51.14	0	-51.14	-16.01	PASS
11BE40MIMO	Ant2	2462	2515	-51.15	0	-51.15	-16.01	PASS
11BE40MIMO	Ant2	2462	2516	-51.16	0	-51.16	-16.01	PASS
11BE40MIMO	Ant2	2462	2517	-51.20	0	-51.20	-16.01	PASS
11BE40MIMO	Ant2	2462	2518	-51.22	0	-51.22	-16.01	PASS
11BE40MIMO	Ant2	2462	2519	-51.22	0	-51.22	-16.01	PASS
11BE40MIMO	Ant2	2462	2520	-51.24	0	-51.24	-16.01	PASS
11BE40MIMO	Ant2	2462	2520.289	-51.22	0	-51.22	-16.01	PASS
11BE40MIMO	Ant2	2462	2521.289	-51.25	0	-51.25	-26.01	PASS
11BE40MIMO	Ant2	2462	2522.289	-51.25	0	-51.25	-26.01	PASS
11BE40MIMO	Ant2	2462	2523.289	-51.25	0	-51.25	-26.01	PASS
11BE40MIMO	Ant2	2462	2524.289	-51.29	0	-51.29	-26.01	PASS
11BE40MIMO	Ant2	2462	2525.289	-51.27	0	-51.27	-26.01	PASS
11BE40MIMO	Ant2	2462	2526.289	-51.26	0	-51.26	-26.01	PASS
11BE40MIMO	Ant2	2462	2527.289	-51.28	0	-51.28	-26.01	PASS
11BE40MIMO	Ant2	2462	2528.289	-51.30	0	-51.30	-26.01	PASS
11BE40MIMO	Ant2	2462	2529.289	-51.32	0	-51.32	-26.01	PASS
11BE40MIMO	Ant2	2462	2530.289	-51.32	0	-51.32	-26.01	PASS
11BE40MIMO	Ant2	2462	2531.289	-51.33	0	-51.33	-26.01	PASS
11BE40MIMO	Ant2	2462	2532.289	-51.35	0	-51.35	-26.01	PASS
11BE40MIMO	Ant2	2462	2533.289	-51.33	0	-51.33	-26.01	PASS
11BE40MIMO	Ant2	2462	2534.289	-51.37	0	-51.37	-26.01	PASS
11BE40MIMO	Ant2	2462	2535.289	-51.35	0	-51.35	-26.01	PASS
11BE40MIMO	Ant2	2462	2536.289	-51.36	0	-51.36	-26.01	PASS
11BE40MIMO	Ant2	2462	2537.289	-51.37	0	-51.37	-26.01	PASS
11BE40MIMO	Ant2	2462	2538.289	-51.38	0	-51.38	-26.01	PASS
11BE40MIMO	Ant2	2462	2539.289	-51.39	0	-51.39	-26.01	PASS
11BE40MIMO	Ant2	2462	2540.289	-51.39	0	-51.39	-26.01	PASS
11BE40MIMO	Ant2	2462	2541.289	-51.41	0	-51.41	-26.01	PASS
11BE40MIMO	Ant2	2462	2542.289	-51.40	0	-51.40	-26.01	PASS
11BE40MIMO	Ant2	2462	2543.289	-51.40	0	-51.40	-26.01	PASS





11BE40MIMO	Ant2	2462	2544.289	-51.43	0	-51.43	-26.01	PASS
11BE40MIMO	Ant2	2462	2545.289	-51.42	0	-51.42	-26.01	PASS
11BE40MIMO	Ant2	2462	2546.289	-51.42	0	-51.42	-26.01	PASS
11BE40MIMO	Ant2	2462	2547.289	-51.44	0	-51.44	-26.01	PASS
11BE40MIMO	Ant2	2462	2548.289	-51.47	0	-51.47	-26.01	PASS
11BE40MIMO	Ant2	2462	2549.289	-51.46	0	-51.46	-26.01	PASS
11BE40MIMO	Ant2	2462	2550.289	-51.45	0	-51.45	-26.01	PASS
11BE40MIMO	Ant2	2462	2551.289	-51.46	0	-51.46	-26.01	PASS
11BE40MIMO	Ant2	2462	2552.289	-51.47	0	-51.47	-26.01	PASS
11BE40MIMO	Ant2	2462	2553.289	-51.51	0	-51.51	-26.01	PASS
11BE40MIMO	Ant2	2462	2554.289	-51.49	0	-51.49	-26.01	PASS
11BE40MIMO	Ant2	2462	2555.289	-51.51	0	-51.51	-26.01	PASS
11BE40MIMO	Ant2	2462	2556.289	-51.49	0	-51.49	-26.01	PASS
11BE40MIMO	Ant2	2462	2557.289	-51.50	0	-51.50	-26.01	PASS
11BE40MIMO	Ant2	2462	2557.578	-51.50	0	-51.50	-26.01	PASS


Test Graphs



















































## Appendix E: Receiver Blocking

### Test Result


TestMode	Antenna	Freq(MHz)	Pmin [dBm]	Wanted signal [dBm]	Freq. [MHz]	CW [dBm]	PER [%]	Limit [%]	Verdict
11B	Ant1	2412	---	-69.91	2300	-29.9 1	2.00	≤10	PASS
11B	Ant1	2412	---	-69.91	2330	-29.9 1	0.50	≤10	PASS
11B	Ant1	2412	---	-69.91	2360	-29.9 1	1.80	≤10	PASS
11B	Ant1	2412	---	-63.91	2380	-29.9 1	0.70	≤10	PASS
11B	Ant1	2472	---	-63.91	2504	-29.9 1	1.10	≤10	PASS
11B	Ant1	2472	---	-69.91	2524	-29.9 1	2.10	≤10	PASS
11B	Ant1	2472	---	-69.91	2584	-29.9 1	3.00	≤10	PASS
11B	Ant1	2472	---	-69.91	2674	-29.9 1	5.30	≤10	PASS
11G	Ant1	2412	---	-69.91	2300	-29.9 1	0.30	≤10	PASS
11G	Ant1	2412	---	-69.91	2330	-29.9 1	0.40	≤10	PASS
11G	Ant1	2412	---	-69.91	2360	-29.9 1	0.10	≤10	PASS
11G	Ant1	2412	---	-63.91	2380	-29.9 1	0.10	≤10	PASS
11G	Ant1	2472	---	-63.91	2504	-29.9 1	0.60	≤10	PASS
11G	Ant1	2472	---	-69.91	2524	-29.9 1	0.90	≤10	PASS
11G	Ant1	2472	---	-69.91	2584	-29.9 1	1.70	≤10	PASS
11G	Ant1	2472	---	-69.91	2674	-29.9 1	3.20	≤10	PASS
11N20MIMO	Ant1	2412	---	-69.91	2300	-29.9 1	0.90	≤10	PASS


11N20MIM O	Ant1	2412	---	-69.91	2330	-29.9 1	0.30	≤10	PASS
11N20MIM O	Ant1	2412	---	-69.91	2360	-29.9 1	0.30	≤10	PASS
11N20MIM O	Ant1	2412	---	-63.91	2380	-29.9 1	0.70	≤10	PASS
11N20MIM O	Ant1	2472	---	-63.91	2504	-29.9 1	0.40	≤10	PASS
11N20MIM O	Ant1	2472	---	-69.91	2524	-29.9 1	4.80	≤10	PASS
11N20MIM O	Ant1	2472	---	-69.91	2584	-29.9 1	1.40	≤10	PASS
11N20MIM O	Ant1	2472	---	-69.91	2674	-29.9 1	2.30	≤10	PASS
11AX20MIM O	Ant1	2412	---	-69.91	2300	-29.9 1	0.30	≤10	PASS
11AX20MIM O	Ant1	2412	---	-69.91	2330	-29.9 1	0.20	≤10	PASS
11AX20MIM O	Ant1	2412	---	-69.91	2360	-29.9 1	1.30	≤10	PASS
11AX20MIM O	Ant1	2412	---	-63.91	2380	-29.9 1	0.00	≤10	PASS
11AX20MIM O	Ant1	2472	---	-63.91	2504	-29.9 1	1.30	≤10	PASS
11AX20MIM O	Ant1	2472	---	-69.91	2524	-29.9 1	7.20	≤10	PASS
11AX20MIM O	Ant1	2472	---	-69.91	2584	-29.9 1	8.90	≤10	PASS
11AX20MIM O	Ant1	2472	---	-69.91	2674	-29.9 1	6.60	≤10	PASS
11BE20MIM O	Ant1	2412	---	-69.91	2300	-29.9 1	3.00	≤10	PASS
11BE20MIM O	Ant1	2412	---	-69.91	2330	-29.9 1	2.20	≤10	PASS
11BE20MIM O	Ant1	2412	---	-69.91	2360	-29.9 1	2.50	≤10	PASS
11BE20MIM O	Ant1	2412	---	-63.91	2380	-29.9 1	0.30	≤10	PASS
11BE20MIM O	Ant1	2472	---	-63.91	2504	-29.9 1	1.80	≤10	PASS
11BE20MIM	Ant1	2472	---	-69.91	2524	-29.9	4.40	≤10	PASS


O						1			
11BE20MIM O	Ant1	2472	---	-69.91	2584	-29.9 1	5.00	≤10	PASS
11BE20MIM O	Ant1	2472	---	-69.91	2674	-29.9 1	5.90	≤10	PASS





Test Graphs











Appendix F: Adaptivity

Test Result

TestMode	Antenna	Freq (MHz)	Max.COT [ms]	Limit[ms]	Min.Idle Time[ms]	Limit[ms]	Verdict
11B	Ant1	2412	1.481	13	0.059	0.018	PASS
11B	Ant1	2472	2.243	13	0.060	0.018	PASS
11G	Ant1	2412	1.794	13	0.058	0.018	PASS
11G	Ant1	2472	1.373	13	0.070	0.018	PASS
11N20MIMO	Ant1	2412	4.535	13	0.050	0.018	PASS
11N20MIMO	Ant1	2472	2.969	13	0.070	0.018	PASS
11N40MIMO	Ant1	2422	2.062	13	0.043	0.018	PASS
11N40MIMO	Ant1	2462	3.977	13	0.061	0.018	PASS
11AX20MIMO	Ant1	2412	5.386	13	0.071	0.018	PASS
11AX20MIMO	Ant1	2472	5.398	13	0.062	0.018	PASS
11AX40MIMO	Ant1	2422	3.187	13	0.071	0.018	PASS
11AX40MIMO	Ant1	2462	3.064	13	0.059	0.018	PASS
11BE20MIMO	Ant1	2412	5.398	13	0.070	0.018	PASS
11BE20MIMO	Ant1	2472	5.386	13	0.062	0.018	PASS
11BE40MIMO	Ant1	2422	5.340	13	0.045	0.018	PASS
11BE40MIMO	Ant1	2462	5.118	13	0.071	0.018	PASS



TestMode	Antenna	Freq(MHz)	Add Signal Type	Add Signal Time[ms]	Add Signal Level[dbm]	Max. Short Time [%]	Limit [%]	Verdict
11B	Ant1	2412	AWGN	3000	-63.36	0.40	10	PASS
11B	Ant1	2412	CW	63000	-30.91	0.00	10	PASS
11B	Ant1	2472	AWGN	3000	-63.59	0.00	10	PASS
11B	Ant1	2472	CW	63000	-30.91	0.00	10	PASS
11G	Ant1	2412	AWGN	3000	-65.56	0.00	10	PASS
11G	Ant1	2412	CW	63000	-30.91	0.00	10	PASS
11G	Ant1	2472	AWGN	3000	-65.69	0.00	10	PASS
11G	Ant1	2472	CW	63000	-30.91	0.00	10	PASS
11N20MIMO	Ant1	2412	AWGN	3000	-60.14	0.00	10	PASS
11N20MIMO	Ant1	2412	CW	63000	-30.91	0.00	10	PASS
11N20MIMO	Ant1	2472	AWGN	3000	-60.79	0.00	10	PASS
11N20MIMO	Ant1	2472	CW	63000	-30.91	0.00	10	PASS
11N40MIMO	Ant1	2422	AWGN	3000	-60.22	0.00	10	PASS
11N40MIMO	Ant1	2422	CW	63000	-30.91	0.00	10	PASS
11N40MIMO	Ant1	2462	AWGN	3000	-60.77	0.00	10	PASS
11N40MIMO	Ant1	2462	CW	63000	-30.91	0.00	10	PASS
11AX20MIMO	Ant1	2412	AWGN	3000	-60.00	0.00	10	PASS
11AX20MIMO	Ant1	2412	CW	63000	-30.91	0.00	10	PASS
11AX20MIMO	Ant1	2472	AWGN	3000	-60.70	0.00	10	PASS
11AX20MIMO	Ant1	2472	CW	63000	-30.91	0.00	10	PASS
11AX40MIMO	Ant1	2422	AWGN	3000	-60.06	0.00	10	PASS
11AX40MIMO	Ant1	2422	CW	63000	-30.91	0.00	10	PASS
11AX40MIMO	Ant1	2462	AWGN	3000	-60.77	0.00	10	PASS
11AX40MIMO	Ant1	2462	CW	63000	-30.91	0.00	10	PASS
11BE20MIMO	Ant1	2412	AWGN	3000	-60.02	0.00	10	PASS
11BE20MIMO	Ant1	2412	CW	63000	-30.91	0.00	10	PASS
11BE20MIMO	Ant1	2472	AWGN	3000	-60.77	0.00	10	PASS
11BE20MIMO	Ant1	2472	CW	63000	-30.91	0.00	10	PASS
11BE40MIMO	Ant1	2422	AWGN	3000	-60.07	0.00	10	PASS
11BE40MIMO	Ant1	2422	CW	63000	-30.91	0.00	10	PASS
11BE40MIMO	Ant1	2462	AWGN	3000	-60.75	0.00	10	PASS
11BE40MIMO	Ant1	2462	CW	63000	-30.91	0.00	10	PASS

Test Graphs

